



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,22
<b>net weight (Kg)</b>	29
<b>gross weight (Kg)</b>	36
<b>breadth (mm)</b>	340
<b>depth (mm)</b>	545
<b>height (mm)</b>	620

#### PROFESSIONAL DESCRIPTION

**HOLLOW CUBES ICE MAKER, Yield 20 Kg/ 24 hours, 5 Kg internal storage, available with Air or Water Cooled Refrigeration Unit**

- The hollow cube ice makers, **built entirely in stainless steel**, with **built-in storage** and **large production capacity**, are characterised by their modern and attractive design, and by their compact size which makes them easy to place.
- The **paddle production system with stalk evaporator** is the only system capable of guaranteeing the correct functioning of the ice maker even in the presence of particularly hard water, rich in limestone and impurities.
- The **hollow cube**, equipped with a large cooling surface, is particularly **suitable for quickly cooling drinks for immediate consumption**. The presence of the internal hole facilitates crushing, making it ideal for use in crushed cocktails.
- **Front ventilation**, ideal for built-in installation;
- **Electronic control** with self-diagnosis;
- Easy maintenance;
- **Expanded polyurethane insulation** (HCFC-free) to preserve the quality of the ice;
- Raised exhausts;
- Easily removable **front condensation filter**;
- Tropical class +43°C.

#### TECHNICAL DATA :

- Dimensions (WxDxH): 340x545x620 mm
- Production in 24h (21°C - 15°C): 20 Kg
- Storage capacity: 5 Kg

- Production per cycle: 15 ice cubes
- Ice type: Hollow cube 21 gr
- Cooling system: Air / Water
- Refrigerant type: R 290
- Standard voltage: 230 V~ 50 Hz
- Power consumption: 220 W
- Cube dimensions (LxDxH):32.5x29x41 mm
- Feet: 0÷10 mm
- Net weight: 29 Kg
- Gross weight: 36 Kg

**CE MARK**  
**MADE IN ITALY**

#### AVAILABLE MODELS

##### TCF055-003000



**Hollow cube ice maker/manufacture, yield 20 Kg/24 hours, 5 Kg storage, AIR-cooled version, V.230/1, Kw.0,22, dim.mm.340x545x620h**

**€ 871,76**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days

##### TCF055-003100



**Hollow cube ice maker/manufacture, yield 20 Kg/24 hours, 5 Kg storage, WATER cooled version, V.230/1, Kw.0,22, dim.mm.340x545x620h**

**€ 871,76**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days



**Dimensioni cubetto (LxPxH):**  
32,5x29x41 mm



**Cubetto vuoto 21 gr**  
Hollow ice cube 21 gr  
Cube creux 21 gr  
Cubito hueco 21 gr




**Aerazione frontale, ideale per l'incasso**  
*Frontal air circulation, suitable for reduced spaces*  
*Ventilation frontale, idéale pour espaces réduits*  
*Ventilación frontal, ideal para espacios reducidos*



**Manutenzione facilitata**  
*Easy maintenance*  
*Entretien facile*  
*Fácil mantenimiento*



**Carrozzeria in acciaio inox**  
*Stainless steel body*  
*Carrosserie en acier inox*  
*Carroseria en acero inoxidable*



**Scarichi rialzati**  
*Higher drain pipes*  
*Raccords d'écoulement rehaussés*  
*Conexiones para desagües elevados*



**Filtro frontale di condensazione facilmente estraibile**  
*Easily removable front condensation filter*  
*Filtre frontal à poussière, facile à enlever*  
*Filtro antipolvo frontal, fácilmente extraíble*