

#### TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



### **TECHNICAL CARD**

	Manafara
power supply	Monorase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,46
net weight (Kg)	52
gross weight (Kg)	60
breadth (mm)	600
depth (mm)	585
height (mm)	880

### PROFESSIONAL DESCRIPTION

HOLLOW CUBES ICE MAKER, Yield 60 Kg/ 24 hours, internal storage 28 Kg, available with air or water cooled refrigeration unit :

- The hollow cube ice makers, **built entirely in stainless steel**, with **built-in storage** and **large production capacity**, are characterised by their modern and attractive design, and by their compact size which makes them easy to place.
- The **paddle production system with stalk evaporator** is the only system capable of guaranteeing the correct functioning of the ice maker even in the presence of particularly hard water, rich in limestone and impurities.
- The **hollow cube,** equipped with a large cooling surface, is particularly **suitable for quickly cooling drinks for immediate consumption**. The presence of the internal hole facilitates crushing, making it ideal for use in crushed cocktails.
- Front ventilation , ideal for built-in installation;
- Electronic control with self-diagnosis;
- Easy maintenance;
- $\bullet \ \ \, \textbf{Expanded polyurethane insulation} \ \, (\textbf{HCFC-free}) \ \, \textbf{to preserve the quality of the ice;} \\$
- Raised exhausts;
- $\circ \ \ \text{Easily removable } \textbf{front condensation filter} \ ;$
- Tropical class +43°C.

## TECHNICAL DATA:

- o Dimensions (WxDxH): 600x585x880 mm
- $\circ~$  Production in 24h (21°C 15°C): 60 Kg
- Storage capacity: 28 Kg

• Production per cycle: 35 ice cubes

Ice type: Hollow cube 21 grCooling system: Air / Water

• Refrigerant type: R 290

Standard voltage: 230 V~ 50 HzPower consumption: 460 W

• Cube dimensions (LxDxH):32.5x29x41 mm

Feet: 80÷100 mmNet weight: 52 KgGross weight: 60 Kg

CE MARK
MADE IN ITALY

### **AVAILABLE MODELS**

### TCF055-004000



Hollow cube ice maker/manufacturer, yield 60 Kg/24 hours, storage 28 Kg, AIR-cooled version, V.230/1, Kw.0,46, dim.mm.600x585x880h

€ 1.524,30

VAT escluded

Shipping to be calculed

**Delivery** from 8 to 15 days

# TCF055-004100



Hollow cube ice maker/manufacturer, yield 60 Kg/24 hours, 28 Kg storage, WATER-cooled version, V.230/1, Kw.0,46, dim.mm.600x585x880h

€ 1.524,30

VAT escluded

Shipping to be calculed

**Delivery** from 8 to 15 days









Aerazione frontale, ideale per l'incasso Frontal air circulation, suitable for reduced spaces Ventilation frontale, idéale pour espaces réduits Ventilación frontal, ideal para espacios reducidos



Manutenzione facilitata Easy maintenance Entretien facile Fácil mantenimiento



Carrozzeria in acciao inox Stainless steel body Carrosserie en acier inox Carroseria en acero inoxidable







Scarichi rialzati Higher drain pipes Raccords d'écoulement rehaussés Conexiones para desagües elevados



Filtro frontale di condensazione facilmente estraibile Easily removable front condensation filter Filtre frontal à poussière, facile à enlever Filtro antipolvo frontal, fácilmente extrafble