



TECHNICAL CARD

net weight (Kg)	26
gross weight (Kg)	37
breadth (mm)	520
depth (mm)	630
height (mm)	590

PROFESSIONAL DESCRIPTION

POTATO PEELER on Feet, Maximum load of 5 Kg. per cycle:

- **stainless steel structure** and plastic materials suitable for food contact;
- **transparent food-grade polycarbonate top cover** for monitoring the processing stages;
- **continuous washing** , which allows for uniform processing and facilitates subsequent cleaning phases of the machine
- **safety microswitches** on the **top cover** and on the **outlet mouth** ;
- **product eject button** ;
- **Door with handle** on the product discharge mouth;
- **automatic water jet to help eliminate peeling residues** ;
- manual plate extraction system;
- timer from 0 to 4 minutes;
- **production capacity 60 Kg/h** ;
- **supplied with: removable abrasive plate**, which guarantees perfect peeling of the product with very little production waste .
- **Available with single-phase V. 230/1 or three-phase V. 380/3+N power supply,**

CE mark
MADE IN ITALY

AVAILABLE MODELS

FM-PPN/5/T

**Potato peeler, maximum cycle load Kg.5,
production capacity Kg 60, V 400/3, Kw 0.37,
dimensions mm 520x630x590h**

€ 858,64

VAT excluded
Shipping to be calculated



Delivery from 4 to 9 days

FM-PPN/5/M



**Potato peeler, maximum cycle load Kg.5,
production capacity Kg 60, V 230/1, Kw 0.37,
dimensions mm 520x630x590h**

€ 882,83

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days

TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

FMPTA



**FIMAR - Technochef - Plate in abrasive cloth for
potatoes and carrots, Mod. PTA**

€ 91,29

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days

FMPAB



**FIMAR - Technochef - Plate in carborundo
abrasive, Mod. PAB**

€ 219,86

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days



