



#### TECHNICAL CARD

<b>net weight (Kg)</b>	70
<b>gross weight (Kg)</b>	88
<b>breadth (mm)</b>	450
<b>depth (mm)</b>	900
<b>height (mm)</b>	1355

#### PROFESSIONAL DESCRIPTION

**POTATO PEELER ON STAND, maximum load 25 kg. cycle:**

- **stainless steel structure** and plastic materials suitable for food contact;
- **transparent food-grade polycarbonate top cover** for monitoring the processing stages;
- **safety microswitches** on the top cover and on the outlet;
- **Door with handle** on the product discharge mouth;
- **continuous washing** , which allows for uniform processing and facilitates subsequent cleaning phases of the machine;
- **automatic water jet** to help eliminate peeling residues;
- manual plate extraction system;
- timer from 0 to 4 minutes;
- **production capacity 450 Kg/h** ;
- **supplied with: standard lateral abrasive, removable abrasive plate**, which guarantees perfect peeling of the product with very low production waste ,
- **Available with single-phase V. 230/1 or three-phase V. 400/3+N power supply**,

**CE mark**  
**MADE IN ITALY**

#### AVAILABLE MODELS

**FM-PPF/25/T**

**Potato peeler on stand, maximum cycle load  
Kg.25, production capacity Kg 450, V 400/3, Kw  
1.1, dimensions mm 450x900x1355h**

**€ 1.712,45**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days



**FM-PPF/25/M**



Potato peeler on stand, maximum cycle load Kg.25, production capacity Kg 450, V 230/1, Kw 1.1, dimensions mm 450x900x1355h

**€ 1.760,83**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

#### TECHNICAL CARD

##### CODE/PICTURES

##### FMCCF



FIMAR - Technochef - Drawer with stainless steel filter, Mod. CCF

**€ 123,35**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

##### FMPTB




FIMAR - Technochef - Plate in abrasive cloth for potatoes and carrots, Mod.PTB

**€ 123,35**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days





CAVALLETTO +  
cassetto con filtro FMCCF