



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD

power supply	Trifase
Volts	V 400/3 +N
frequency (Hz)	50
motor power capacity (Kw)	6,52
gross weight (Kg)	84
breadth (mm)	585
depth (mm)	715
height (mm)	865

PROFESSIONAL DESCRIPTION

UNDERCOUNTER DISHWASHER with 500x600 mm BASKET, for 600x400 mm TRAYS or TRAYS (pizza-pastry), max. output 40 baskets/hour (880 plates/hour) , DIGITAL CONTROLS :

- **Bodywork made entirely of AISI 304 steel ;**
- **Digital electronic controls with display ,**
- **4 wash cycles of 90/120/150/180 seconds ,**
- **Stainless steel washing impellers diameter 30 mm . with printed helical jets,**
- **Stainless steel rinse impeller with adjustable rotation speed,**
- **Detergent Dispenser Electric washing programmable from display,**
- **Electric rinse aid dispenser programmable from display,**
- **Stainless steel washing detergent injector welded onto the tank,**
- **Filter group in tank for suction and discharge,**
- **Electrical provision for drain pump,**
- **Control system via electronic board with simple and extremely efficient Dip-Switch ,**
- **Setting and controlling the washing and rinsing temperatures ,**
- **Setting and controlling the wash and rinse Thermostop to ensure excellent washing results,**
- **Display showing temperatures and selected wash cycle ,**
- **Smart Start button that changes color based on the dishwasher status**
- **Self-diagnosis system ,**
- **The electronic control allows you to manage various parameters to give you a great level of customization based on your needs while the**

self-diagnosis allows you to minimize machine downtime by already suggesting some simple operations to perform to resolve the situation;

- Scheduled Maintenance Notice,
- 1 automatic drain cycle (with drain pump installed),
- Adjustable drain and rinse times,
- **Double detergent and rinse aid dispenser installed as standard** ,
-
- **Basket 60x50x10h cm,**
- **Plate capacity N.22 pieces**, Diameter cm-32,
- **Max plate diameter 37 cm** ,
- Max glass height 340 mm,
- **Maximum height of the pot 34 cm** ,
- **Number of trays** (GN 1/1, 60x40): 4 pieces
- Boiler capacity 7.3 lt.
- Tank capacity 30 lt;
- 1.12 kW (1.5 Hp) washing pump





Included :

- Basket for 10/12 Trays, cm 50x60x10h
- Basket for glasses, cm 50x60x10h
- Basket for 22 plates, cm 50x60x10h
- Cutlery holder.

CE mark
Made in Italy

CODE	DESCRIPTION	PRICE/DELIVERY
TCF322-001600	DISHWASHER-WASHING MACHINE undercounter with 50x60 cm basket, suitable for 60x40 cm trays, front loading, digital controls, 4 washing cycles, rinse aid and tank detergent dispenser, V.400/3+N, Kw.6.52, Weight 84 Kg, dim.mm.585x715x865h	€ 1.895,64 <i>VAT excluded</i> Shipping to be calculated Delivery from 8 to 15 days

TECHNOCHEF		
------------	--	--

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
TCF322-002605 	TECHNOCHEF - Kit 4 Adjustable Stainless Steel Feet	€ 33,40 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
TCF322-002606 	TECHNOCHEF - Hinged door for dishwasher base support	€ 151,89 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
TCF322-002613 	TECHNOCHEF - 32W installed drain pump	€ 155,50 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
TCF322-002603 	TECHNOCHEF - Pressure pump kit 0.5 Hp	€ 176,61 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days

TCF322-002614



TECHNOCHEF - Open base support with basket holder guides

€ 190,51

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days

TCF322-002601



TECHNOCHEF - Installed pressure pump 0.5 HP

€ 199,78

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days

TCF322-002607



TECHNOCHEF - Dishwasher base stand

€ 249,80

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days

