



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	2,6
<b>net weight (Kg)</b>	152
<b>gross weight (Kg)</b>	178
<b>breadth (mm)</b>	1250
<b>depth (mm)</b>	580
<b>height (mm)</b>	848

#### PROFESSIONAL DESCRIPTION

**FULL CUBES ICE MAKER with SPRAY SYSTEM, WITHOUT STORAGE, production 300 kg/24 hours,**

- **18/8 stainless steel structure** , Scotch Brite finish;
- **spray ice making system** ;
- **air cooling** ;
- **production 300 kg/24 hours** ;
- **ice in solid cubes** , highly compact and crystalline, ideal for various uses in restaurants, hotels and bars;
- **type of cube** of your choice: **A - 18 gr** , - **C - 33 gr** , - **D - 13 gr** , - **E - 42 gr** , - **B - 60 gr** , (standard cube 18 gr);
- **R404A** refrigerant;
- **water consumption** : A=2.6/W=14.3;
- modular models, **they must be combined with an ice storage container** .

#### Accessories/Optionals :

- Ice Machine Containers/Storage

**CE mark**

**Made in Italy**

CODE	DESCRIPTION	PRICE/DELIVERY
<b>TCF362-C300A</b>	Ice cube maker with spray system, yield 300 kg/24	<b>€ 3.462,08</b>

hours, without storage, stainless steel exterior, air cooling, V 230/1, Kw 2.60, dimensions mm 1250x580x848h.

VAT excluded  
Shipping to be calculated

Delivery from 8 to 15 days

TECHNICAL CARD

CODE/PICTURES

TCF362-BIN350



DESCRIPTION

Containers/Storage for ice machines, capacity 350 kg.

PRICE/DELIVERY

€ 1.447,95

VAT excluded  
Shipping to be calculated

Delivery from 8 to 15 days




Cod.TCF362-C300



Cod.TCF362-BIN350



	L	H	ø
1 - Ingresso acqua produzione ghiaccio	39	582	3/4"
2 - Ingresso acqua per condensatore	1217	298	3/4"
3 - Scarico acqua	29	73	24 mm
4 - Connessione Elettrica	1222	748	-
5 - Scarico acqua	31	440	24 mm
6 - Scarico acqua per condensatore	1222	55	3/4"



\* solo per sistemi di raffreddamento ad acqua

## DIMENSIONI CUBETTI GHIACCIO

