



TECHNICAL CARD

net weight (Kg)	83
breadth (mm)	560
depth (mm)	569
height (mm)	695

PROFESSIONAL DESCRIPTION

GRANULAR ICE MAKERS without deposit, with production of 280 kg in 24 hours :

- **internal and external structure in 18/8 stainless steel** , Scotch-Brite finish;
- **compact granules ice** , ideal for various uses in restaurants, fish shops, self-service shops and industries;
- **air or water cooling** .
- modular models, they must be combined with an ice storage container;
- single-phase version.

Accessories / Optionals :

- Containers / deposits for ice machines

Made in Italy

AVAILABLE MODELS

TCF362-G280A



Granular ice maker, to be combined with ice storage container, yield 280 Kg/24 hours, stainless steel exterior, air cooling, V 230/1, Kw 1.05, Weight 83 Kg, dimensions mm.560x569x695h

€ 2.985,21

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days

TCF362-G280W

Granular ice maker, to be combined with ice storage container, yield 280 Kg/24 hours, stainless steel exterior, water cooling, V 230/1, Kw 1.05, Weight 83 Kg, dimensions mm.560x569x695h

€ 3.074,56

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days



TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
TCF362-BIN110 	Containers / deposits for ice machines	€ 847,10 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
TCF362-BIN240PE 	Containers/Deposits for ice machines, capacity 240 Kg.	€ 871,67 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
TCF362-BIN200 	Containers/deposits for ice machines; capacity 240 Kg	€ 979,99 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
TCF362-BIN350 	Containers/Deposits for ice machines, capacity 350 Kg.	€ 1.421,14 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
TCF362-DRB100 	Stainless steel support for inserting ice containers on wheels, with 50 kg ice deposit.	€ 3.744,64 <i>VAT excluded</i> Shipping to be calculated Delivery from 8 to 15 days



Cod.TCF362-G280



Cod.TCF362-BIN240PE