



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,424
<b>net weight (Kg)</b>	130
<b>breadth (mm)</b>	860
<b>depth (mm)</b>	530
<b>height (mm)</b>	1893

#### PROFESSIONAL DESCRIPTION

**CELLAR-CASES for WINE, Capacity 128 Vertical Bottles, STATIC or VENTILATED REFRIGERATION, suitable for WHITE or RED WINES:**

- **aluminum structure** ,
- interior in Aluminium,
- **Sliding doors, sides and top in double glazing** ,
- **ECOLGICO** refrigeration **unit** with GAS R 290a
- digital **thermoregulator from: +4°+16°C** ,
- **automatic defrost** ,
- **automatic evaporation of condensate** ,
- **innovative refrigeration system based on the positioning of the cooling coil in the center of the display case which guarantees better conservation conditions**,
- **SLIDING glass doors on both fronts** ,
- **anti-fog system doors** ;
- natural white **LED lighting** on the pillars,
- **key lock** ,
- **Anti-vibration system** ,
- Ambient Temperature: +25°, MAX for WHITE WINES
- Ambient Temperature: +30°, MAX for RED WINES

#### 4 POSSIBILITIES OF USE CONFIGURABLE by the Customer

- **STATIC MULTI-TEMPERATURE** from +6° to +16°C for **WHITE** and **RED** wines ,
- **STATIC MULTI-TEMPERATURE** from +14° to +20°C for **RED** wines ,
- **VENTILATED** for **RED** Wines with **adjustable temperature** from +14° to + 16°C ,
- **VENTILATED** for **WHITE** wines with **adjustable temperature** from +6° to + 12°C ;

Possible **EQUIPMENTS**, to be selected at the **TIME** of the Order in the **PRODUCT SHEET** .

- **FRAME** in **RAW MDF**, - **MATT WHITE RAL-9010**, - **MATT BLACK RAL-9005**, - **GOLD VO1**, **SILVER VO2**, - **RAL 20 COLORS MATT LACQUERED**, **RAL 100 COLORS GLOSS LACQUERED**

**RAW DUNE FRAMES**, - **MATT WHITE RAL9010**, - **MATT BLACK RAL9005**, - **GOLD VO1** - **SILVER VO2** - **COLORS RAL20 MATT LACQUERED**, **COLORS RAL100 GLOSS LACQUERED** ;

#### OPTIONAL/ACCESSORIES :

- Colored LED lighting on the uprights with remote control.

**CE mark**

**Made in Italy**

#### AVAILABLE MODELS

##### EO-TV-C13V-M01



**CASE for WINE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with RAW MDF WOOD FRAME**

**€ 5.555,23**

*VAT excluded*

*Shipping to be calculated*

**Delivery** from 8 to 15 days

##### EO-TV-C13-RAL9010



**WINE CASE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with DUNE FRAME in MATT WHITE WOOD**

**€ 5.656,81**

*VAT excluded*

*Shipping to be calculated*

**Delivery** from 8 to 15 days

##### EO-TV-C13-RAL9005



**WINE CASE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with DUNE FRAME in MATT BLACK WOOD**

**€ 5.656,81**

*VAT excluded*

*Shipping to be calculated*

**Delivery** from 8 to 15 days

##### EO-TV-C13-V01



**CASE for WINE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with GOLD painted WOODEN FRAME**

**€ 5.995,58**

*VAT excluded*

*Shipping to be calculated*

**Delivery** from 8 to 15 days

##### EO-TV-C13-V02



**CASE for WINE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with SILVER painted WOODEN FRAME**

**€ 5.995,58**

*VAT excluded*

*Shipping to be calculated*

**Delivery** from 8 to 15 days

##### EO-TV-C13-RAL20

**WINE CASE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with DUNE WOODEN FRAME in RAL20 colors**

**€ 5.995,58**

*VAT excluded*



Shipping to be calculated

Delivery from 8 to 15 days

#### EO-TV-C13-RAL100



WINE CASE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with DUNE WOODEN FRAME in RAL100 colors

€ 5.995,58

VAT excluded

Shipping to be calculated

Delivery from 8 to 15 days

#### EO-TV-C13-D01



CASE for WINE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with DUNE FRAME in RAW WOOD

€ 6.232,70

VAT excluded

Shipping to be calculated

Delivery from 8 to 15 days

#### EO-TV-C13-DV02



WINE CASE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with DUNE FRAME in SILVER painted WOOD

€ 6.571,43

VAT excluded

Shipping to be calculated

Delivery from 8 to 15 days

#### EO-TV-C13-DRAL9010



WINE CASE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with DUNE FRAME in MATT WHITE WOOD

€ 6.334,32

VAT excluded

Shipping to be calculated

Delivery from 8 to 15 days

#### EO-TV-C13-DRAL9005



WINE CASE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with DUNE FRAME in MATT BLACK WOOD

€ 6.334,32

VAT excluded

Shipping to be calculated

Delivery from 8 to 15 days

#### EO-TV-C13-DV01



CASE for WINE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with DUNE FRAME in GOLD painted WOOD

€ 6.571,43

VAT excluded

Shipping to be calculated

Delivery from 8 to 15 days

#### EO-TV-C13-DRAL20



WINE CASE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with DUNE WOODEN FRAME in RAL20 colors

€ 6.842,42

VAT excluded

Shipping to be calculated

Delivery from 8 to 15 days

#### EO-TV-C13-DRAL100



WINE CASE, 128 Bottles, Doors on 2 Fronts, 4 Glass Sides, Version with DUNE WOODEN FRAME in RAL100 colors

€ 6.842,42

VAT excluded

Shipping to be calculated

Delivery from 8 to 15 days

# TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

EO-OPT-RGB-A


Colored LED lighting with remote control

**€ 153,55**


*VAT excluded*

**Shipping to be calculated**

**Delivery** from 4 to 9 days



**POSSIBILI IMPOSTAZIONI • POSSIBLE SETTINGS • CHOIX DE RÉGLAGE**



Le temperature riportate sono indicative e possono variare di (+ -) 2 °C. L'utente può impostare la temperatura da +4 °C a +18 °C.  
Reported temperatures are approximate and may vary by (+ -) 2 °C. User-controlled temperature +4 °C to +18 °C.  
Les températures indiquées sont approximatives et peuvent varier de (+ -) 2 °C. L'utilisateur peut régler la température de +4 °C à +18 °C.

**COLORI CORNICE • FRAMES COLOURS • COULEURS DU CADRE**



**MDF non verniciato • Unfinished MDF • MDF non peint**     **Dune non verniciato • Dune unfinished • Dune non peinte**



MDF non verniciato  
unfinished MDF  
MDF non peint



Dune non verniciato  
Dune unfinished  
Dune non peinte

**Verniciatura a liquido • Liquid paint finish • Laquage par peinture liquide**



bianco opaco (20 gloss)  
matte white (20 gloss)  
blanc mat (20 gloss)



nero opaco (20 gloss)  
matte black (20 gloss)  
noir mat (20 gloss)



verniciato oro  
gold paint  
peinture or



verniciato argento  
silver paint  
peinture argent



opaco 70 gloss - lucido 100 gloss  
matte 70 gloss - glossy 100 gloss  
mat 70 gloss - brillant 100 gloss

**Verniciatura a liquido (Dune) • Liquid paint finish (Dune) • Laquage par peinture liquide (Dune)**



bianco opaco (20 gloss)  
matte white (20 gloss)  
blanc mat (20 gloss)



nero opaco (20 gloss)  
matte black (20 gloss)  
noir mat (20 gloss)



verniciato oro  
gold paint  
peinture or



verniciato argento  
silver paint  
peinture argent



opaco 70 gloss - lucido 100 gloss  
matte 70 gloss - glossy 100 gloss  
mat 70 gloss - brillant 100 gloss

**Rivestimento in foglia (Dune) • Leaf finish (Dune) • Revêtement en feuille métallique (Dune)**



oro patinato  
gold coated  
revêtement or




argento patinato  
silver coated  
revêtement argent



- |   |   |
|---|---|
| 1. Struttura in alluminio   | 6. Termoregolatore digitale   |
| 2. Cornice in legno   | 7. Illuminazione a LED  |
| 3. Porte scorrevoli, fianchie e top con vetrocamera - protezione UV - Gas Argon | 8. Impianto di refrigerazione centrale                              |
| 4. Serratura con chiave   | 9. Sbrinamento automatico ed evaporazione automatica della condensa |
| 5. Interni in alluminio   | 10. Sistema di antivibrazione                                       |
| 6. Termoregolatore digitale   | 11. Guida riscaldata  |

IMPIANTO A REFRIGERAZIONE CENTRALE (BREVETTATO)  
CENTRAL COOLING SYSTEM (PATENTED) • INSTALLATION DE RÉFRIGÉRATION CENTRALE (BREVETÉE)



La serpentina di raffreddamento **1** e le ventole di aereazione interna **2** sono inserite al centro della vetrina all'interno dei pannelli di alluminio. Il compressore **3**, il condensatore orizzontale con ventola a pala premente **4** e la vasca per l'evaporazione della condensa

condensa **5** sono inseriti in una speciale vasca ribassata. Con questa soluzione, pur installando un compressore importante (1/4 hp), l'altezza della base è limitata (150 mm) in quanto viene utilizzato lo spazio inferiore dove sono inseriti i piedi (80 mm). La circolazione dell'aria di condensazione avviene dalla parte inferiore frontale.



## FUNZIONI DEL TERMOREGOLATORE




### FUNZIONE DEI TASTI

- Accende e spegne lo strumento
- Accende e spegne la luce
- SET** Per visualizzare/modificare Set point
- Per avviare sbrinamento manuale
- Per diminuire la temperatura
- Per aumentare la temperatura
- AUX** Per attivare resistenza telaio
- Per attivare ventole interne

### SIGNIFICATO DELLE SPIE

- Compressore attivo
- Luce accesa
- Sbrinamento in corso
- AUX** Resistenza telaio accesa
- Ventole interne accese
- Allarme di temperatura
- (Acceso) Unità di misura



ILLUMINAZIONE  
A LED

