

**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,675
<b>net weight (Kg)</b>	115
<b>gross weight (Kg)</b>	125
<b>breadth (mm)</b>	680
<b>depth (mm)</b>	710
<b>height (mm)</b>	2010

**PROFESSIONAL DESCRIPTION****FREEZER CABINET 1 door, capacity 429 lt, temp. -18°/-22°C, SNACK Line :**

- **made of AISI 201 stainless steel ;**
- external bottom and back panels in galvanized sheet metal;
- bottom with rounded corners;
- **capacity 429 lt ;**
- **refrigeration with fan and internal air conveyor to make the temperature uniform ;**
- group incorporated in upper compartment;
- engine compartment with insulated sides;
- **electronic temperature control with digital thermostat ;**
- operating temperature -18°/-22° C;
- manual defrost type;
- electrical resistance around the door frame to eliminate condensation;
- **elimination of condensation water via basin ;**
- **ECOLOGICAL refrigerant gas R290 ;**
- maximum ambient temperature: +32°C;
- maximum ambient humidity: 50% RH;
- **insulation thickness 60 mm ;**
- **door with return spring and reversible ;**

- door lock with key;
- door seal removable without tools;
- **height-adjustable feet** ;
- internal dimensions 560x580x1390h mm;
- external dimensions mm 680x710x2010h.

**Included :**



- n.3 grids 530x540 mm.
- n.6 guides.


**Optional/Accessories :**

- Grill guide pair
- Plasticized grid
- Kit of 4 wheels with a diameter of 120 mm, 2 of which with brakes

**CE MARK**

CODE	DESCRIPTION	PRICE/DELIVERY
<b>FO-G-SNACK400BT-FC</b>	Freezer Cabinet, Professional, Snack Line, 1 door, capacity 429 lt, temp. -18°/-22°C, with fan and internal air conveyor, Gas R290, V.230/1, Kw.0.675, Weight 115 Kg, dim.mm.680x710x2010h	<b>€ 919,47</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>FO-CGSN</b> 	<b>Forcar - Couple of Guides</b>	<b>€ 11,56</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>FO-GRPSN</b> 	<b>Forcar - Plastic coated grid</b>	<b>€ 8,67</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days



**ENERG**

Y IJA  
IE IA

енергия · ενεργεια

G-SNACK400BT-FC

FORCOLDFC


A+++  
A++  
A+  
A  
B  
C  
D  
E  
F  
G

D

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ  
ENERGUA · ENERGY · ENERGIE  
ENERGI


2183

kWh/annum




1L

- L



312 L



4

30°C-55%

2015/1094-IV