



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,26
<b>net weight (Kg)</b>	130
<b>gross weight (Kg)</b>	165
<b>breadth (mm)</b>	2230
<b>depth (mm)</b>	700
<b>height (mm)</b>	650

#### PROFESSIONAL DESCRIPTION

**REFRIGERATED TABLE with 4 DOORS, capacity 350 litres, temperature -2°C /+8°C, ECOLOGICAL in Class C :**

- AISI 304 stainless steel **structure** ;
- bottom with rounded corners;
- **stainless steel backrest** , possibility of leaning against the wall;
- **compartments suitable for inserting Gastronorm 1/1 grills** or trays (530x325 mm);
- capacity 350 litres;
- **built-in refrigeration unit removable** for easy maintenance;
- front panel that can be opened with a key;
- circular flow of the cold air so as not to directly touch the product;
- operating temperature -2°/+8°C;
- **electronic temperature control with** digital thermostat;
- electrical resistance around the door frame for elimination of condensation;
- **automatic defrost** with electric resistance and automatic control of the defrost temperature;
- **ventilated refrigeration** ;
- **automatic evaporation of condensation water** ;
- anti-corrosion treated evaporator;
- maximum ambient temperature: +32°C;
- maximum temperature humidity: 55% HR;

- **insulation thickness 60 mm ;**
- door with return spring;
- door seal removable without tools;
- **feet in AISI 304 stainless steel, adjustable in height ;**
- internal dimensions 1772x530x355h mm.

**Supplied:**




- n.4 Gastronorm 1/1 grills
- n.8 guides

**Options/Accessories :**

- chest of drawers with 2 drawers with fully extractable stainless steel telescopic guides - Code FO-U12;
- pair of guides for supporting grids - Cod.FOCG11;
- Gastronorm 1/1 plasticized grill - Code FOGRP11;
- kit of 4 wheels with a diameter of 120 mm, two of which with brake - Code FORUO120.

**CE MARK**  
**MADE IN ASIA**

CODE	DESCRIPTION	PRICE/DELIVERY
<b>FO-G-UGN4100TN</b>	Refrigerated table 4 DOORS, Professional, capacity 350 lt, temperature -2°/+8°C, ventilated refrigeration, Gastronorm 1/1, ECOLOGICAL in Class C, V.230/1, Kw.0,26, Weight 130 Kg, dim.mm.2230x700x650h	<b>€ 1.285,62</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>FOGRP11</b> 	<b>GN 1/1 plasticized grid</b>	<b>€ 8,67</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>FOCG11</b> 	<b>Pair of guides for GN 1/1 grid support</b>	<b>€ 11,56</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>FO-U12</b> 	<b>Chest of drawers with 2 drawers with telescopic stainless steel guides complete with pull-out for Mod.UGN</b>	<b>€ 346,87</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 3 to 6 days



**ENERG** Y IJA  
энергия · ενέργεια · energia · energie · energy

**FORCAR**  
**REFRIGERATION G-UGN4100TN**

A+++  
A++  
A+  
A  
B  
C  
D  
E  
F  
G

**C**

ENERGIA · ΕΝΕΡΓΙΑ · ENERGIA  
ENERGIA · ENERGY · ENERGIE  
ENERGI

**964**  
kWh/annum

**217** L

- L

**5**  
40°C-40%

2015/1094-IV