



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

BALLARINI - PASTA COOKER POT high, 4 BASKETS , 2 handles, 7000 series, complete range with diameter from 360 mm to 500 mm :

- **professional line** in **99% pure aluminum - thickness 3 mm** ;
- external and internal finish in **pickled neutralized aluminum** ;
- **constant thick bottom** (3 mm) for **excellent heat distribution and maintenance** ;
- **flatness of the bottom** obtained when the cooking temperature is reached for **complete adherence to the cooking surface** ;
- **Pasta warmer basket** with handle and **hook for dripping position**;
- **professional stainless steel reinforced rib handle** , **tubular** to reduce heat transmission, 'at full grip'.

CE mark
MADE IN ITALY

AVAILABLE MODELS

BLR7038.36



Pot Pasta cooker diameter mm 360 with 4 Baskets

High pasta cooker with 4 1/4 baskets, 7000 SERIES, in ALUMINUM, diameter mm 360, high mm 220

€ 223,31

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

BLR7038.40



Pot Pasta cooker diameter 400 mm with 4 baskets

High pasta cooker with 4 1/4 baskets, 7000 SERIES, in ALUMINUM, diameter 400 mm, high 250 mm

€ 263,90

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

BLR7038.50



Pot Pasta cooker diameter 500 mm with 4 baskets

High pasta cooker with 4 1/4 baskets, 7000 SERIES, in ALUMINUM, diameter 500 mm, high 280 mm

€ 360,82

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days



SERIE 7000
2,5 MM - 5 MM - ALLUMINIO BIANCO



LINEA PROFESSIONALE IN ALLUMINIO PURO 99%

Made in Italy

Finitura esterna
Alluminio lavato decapato
neutralizzato

Spessore costante
Compreso tra mm 2,5 e mm 5,0

Manicatura
Manicatura professionale in acciaio inox a nervatura
rinforzata, in tubolare per ridurre la trasmissione del
calore, "a piena presa"

Finitura interna
Alluminio lavato decapato
neutralizzato



Fondo
Fondo ad alto spessore costante per un'ottima distribuzione e
mantenimento del calore. Planarità ottenuta al raggiungimento
della temperatura di cottura per una completa aderenza al piano
di cottura

Fonti di riscaldamento

