

TECNOSERVICE'21 srl by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



REFRIGERATED TABLE with 2 DOORS and NEUTRAL DRAWER , capacity 282 litres , temperature -2°C /+8°C, ECOLOGICAL in Class B :

• AISI 304 stainless steel structure ;

- bottom with rounded corners;
- **stainless steel backrest** , possibility of leaning against the wall;
- ventilated refrigeration ;
- compartments suitable for inserting Gastro-Norm 1/1 grills or trays (530x325 mm);
- capacity 282 litres;
- built-in refrigeration unit removable for easy maintenance;
- circular flow of the cold air so as not to directly touch the product;
- operating temperature -2°/+8°C;
- electronic temperature control with digital thermostat ;
- electrical resistance around the door frame for elimination of condensation;
- automatic defrost with electric resistance and automatic temperature control defrost temperature ;
- automatic evaporation of condensation water ;
- anti-corrosion treated evaporator;
- ECOLOGICAL Refrigerating Group with R290 Gas ;
- Energy class B ;
- maximum ambient temperature: +32°C;
- maximum temperature humidity: 55% HR;
- insulation thickness 60 mm ;
- door with return spring;
- door seal removable without tools;
- feet in AISI 304 stainless steel, adjustable in height;
- internal dimensions 902x530x589h mm;
- external dimensions 1360x700x860h mm.

Supplied:

- n.2 Gastronorm 1/1 grills
- n.4 guides

Options/Accessories :

- chest of drawers with 2 drawers with fully extractable stainless steel telescopic guides Cod.FOC12;
- chest of drawers with 3 drawers with fully extractable stainless steel telescopic guides Cod.FOC13;
- pair of guides for supporting grids Cod.FOCG11;
- Gastronorm 1/1 plasticized grill Code FOGRP11;
- kit of 4 wheels with a diameter of 120 mm, two of which with brake Code FORUO120;
- rear splashback on the top Code FOALZ2100.

NOTE:

IT IS RECOMMENDED TO INSTALL ONLY THE CHEST OF DRAWERS WITH 2 DRAWERS IN THE COMPARTMENT NEAR THE REFRIGERATING UNIT , so as not to obstruct the circulation of the cold.

CE MARK

MADE IN ASIA

TECHNICAL CARD			
TECHNICAL CARD			
power supply	Monofase		
Volts	V 230/1		
frequency (Hz)	50		
motor power capacity (Kw)	0,26		
net weight (Kg)	98		
gross weight (Kg)	121		
breadth (mm)	1360		
depth (mm)	700		
height (mm)	860		
TECHNICAL CARD			
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY	

FOGRP11	GN 1/1 plasticized grid Gastronorm 1/1 plasticized grid	€ 8,03 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
FOCG11	Pair of guides for GN 1/1 grid support Pair of guides for GN 1/1 grid support	€ 10,71 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
FOALZ2100	Back splash Back splash on the top for mod. GN2100	€ 21,21 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
FO-RUO120	Forcar - 4 wheels kit, 2 with brake 4 wheels kit with 120 mm diameter, 2 of which with brake.	€ 72,80 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
FOC12	Chest of drawers with 2 drawers Chest of drawers with 2 drawers with fully extractable telescopic guides in stainless steel for mod. TN	€ 316,08 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
FOC13	Chest of drawers with 3 drawers Chest of drawers with 3 drawers with fully extractable telescopic guides in stainless steel for mod. TN	€ 471,56 VAT escluded Shipping to be calculed Delivery from 4 to 9 days





