



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
TC-PICCOLO	Counter display case for ice cream, made of ABS complete with lid, temp. -15 ° / -18 ° C, R404A, V.230 / 1, Kw0,40, Weight 20 Kg, dim.mm.505x680x400h	<b>€ 811,39</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days
PROFESSIONAL DESCRIPTION		

**SHOWCASE for GELATO from COUNTER, complete with LID :**

- **made of ABS ;**
- **transparent lid that guarantees full visibility of the ice cream ;**
- **operating temperature -15 ° / -18 ° C ;**
- **ECO R404a refrigerant gas ;**
- ECO no CFC insulation;
- copper evaporator;
- **silent ;**
- **low energy consumption ;**
- easy maintenance;
- easy cleaning;
- particularly **suitable for artisanal ice cream, industrial ice cream, ice cream for celiacs or special flavors, frozen yogurt, Sicilian granita, sorbets, assorted creams ;**
- suitable for ice cream parlors, pastry shops, catering, restaurants, hotels and boarding houses, coffeeshops, parties, ceremonies, birthdays etc ... where it is necessary to **store ice cream at the ideal temperature and in a small space .**

**NB :** See the **possible combinations of stainless steel pans** (not included) in the additional image.

**Environmental Operating Conditions:**

- Ambient Temperature Max 26 ° C.
- Relative humidity 60%

**Optional / Accessories :**

- Stainless steel basin, capacity 6,5 lt, dim.mm.360x165x150h
- Stainless steel basin, 5.0 lt capacity, dim.mm.360x165x120h
- Stainless steel basin, 3.0 lt capacity, dim.mm.360x165x80h
- Stainless steel basin, capacity 2,5 lt, dim.mm.180x165x120h
- Transparent lid for stainless steel containers

**CE mark****TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,4
<b>net weight (Kg)</b>	20
<b>breadth (mm)</b>	505
<b>depth (mm)</b>	680
<b>height (mm)</b>	400

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
---------------	-------------	----------------

**TC-COP**

**Stainless Steel Bowl Cover**  
Lid for stainless steel containers

**TC-BAC3LT**

**Stainless steel basin, capacity 3,0 lt**  
Stainless steel basin, 3.0 lt capacity,  
dim.mm.360x165x80h

#### TC-BAC5LT



#### Stainless steel basin, capacity 5.0 lt

Stainless steel basin, capacity 5.0 lt,  
dim.mm.360x165x120h

#### TC-BAC6LT



#### Stainless steel basin, capacity 6.5 lt

Stainless steel basin, capacity 6.5 lt,  
dim.mm.360x165x150h

#### TC-BAC2LT















#### Stainless steel basin, capacity 2.5 lt

Stainless steel basin, capacity 2.5 lt,  
dim.mm.180x165x120h



#### Possibili combinazioni per bacinelle gelato

	mm 360x165 h 150 lt. 6,5		mm 360x165 h 80 lt. 3
	mm 360x165 h 120 lt. 5		mm 180x165 h 120 lt. 2,5

lt. 13		
lt. 10 a		
lt. 10 b		
lt. 10 c		
lt. 6	