



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>OS-INT90E</b>	ELECTRIC meat tenderizer, with ROLLERS of 44+44 STAINLESS STEEL blades, max insertable thickness mm 20, V.230/1, kw 0,40, dimensions mm 200x450x440h	<b>€ 1.998,07</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery from 4 to 9 days</b>

#### PROFESSIONAL DESCRIPTION

**Mod.OS-INT90E - ELECTRIC MEAT TENDERIZER** with 2 Rollers  
**with 44+44 stainless steel blades :**

- **made of anodized aluminum ;**
- **equipped with 2 rollers with 44+44 blades for each roller ;**
- **maximum thickness of the product to be introduced mm 20 ;**
- **blade cover combs** to accompany the cutting of the meat;
- **makes the meat tender** and easy to cook;
- by inserting a slice of normal quality meat into the tenderizing unit, thousands of engraving knives of the tenderizing blades enter deeply, cutting off the muscle fibers and tendons, with a surprising result, all the fibers are interrupted, giving the meat a more compact appearance;
- **fully hermetic motor** with **forced air flow cooling system ;**
- possibility of working for several consecutive hours without heating up the cutting unit and without making any noise;
- the powerful gear motor unit remains stable on and off the workbench

**CE mark**  
**Made in Italy**

#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,4
<b>net weight (Kg)</b>	23
<b>breadth (mm)</b>	200
<b>depth (mm)</b>	450

height (mm) | 440

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>OS-OPT68</b> 	<b>Aluminum blade cover</b> Aluminum blade cover	<b>€ 106,80</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>OS-OPT69/4</b> 	<b>4 mm strip cutter group</b> 4 mm strip cutter unit applicable on INT90E	<b>€ 690,79</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>OS-OPT69/8</b> 	<b>8 mm strip cutter group</b> 8 mm strip cutter unit applicable on INT90E	<b>€ 690,79</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>OS-OPT69/6</b> 	<b>6 mm strip cutter unit</b> 6 mm strip cutter unit applicable on INT90E	<b>€ 690,79</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>OS-OPT69/12</b> 	<b>12 mm strip cutter unit</b> 12 mm strip cutter unit applicable on INT90E	<b>€ 690,79</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days

