



CODE	DESCRIPTION	PRICE/DELIVERY
TH-JOLLYNW	Automatic cabinet purifier/softener for cold water with 7 lt. of resin, electronic programming, max yield: 800 l/h, V.12 (power supply included), dim.mm.240x435x425h	€ 379,95 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days

PROFESSIONAL DESCRIPTION
ELECTRONIC AUTOMATIC PURIFIER/SOFTENER with cabinet, with 7 l of CATION RESIN, suitable for cold water (max 35°C) :

- **bodywork in thick plastic material** suitable for **containing the resin cylinder** and **15 kg of salt** ;
- **resin cylinder in glass fiber reinforced polyethylene** with **7 liters of cationic resin** ;
- **max flow rate** : 800 l/h
- **regeneration cycle duration** : 32 min;
- **salt consumption for each regeneration cycle** : 1.0 kg;
- **electronic programming** ;
- control valve: AUTOTROL 366/604 I;
- min-max water temperature: 2-35°C;
- softened water supplied on the basis of hardness: 1750 l (at 20 F°), 700 l (at 50°F).

CE mark
TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,1
breadth (mm)	240
depth (mm)	435
height (mm)	425





