

TECNOSERVICE'21 srl by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

ELECTRIC CONVECTION OVEN for GASTRONOMY and PASTRY, NERONE line, version with MANUAL CONTROLS , available with and without HUMIDIFICATION DEVICE :

- $\circ~$ interior and exterior in stainless steel with external finishes in Scoth Bright ;
- room with rounded corners;
- cooking chamber dimensions 680x480x440h ;
- capacity 5 Gastro-Norm 1/1 or 600x400 mm trays (not included) , 80 mm pitch ;
- $\circ~$ ventilation in the cooking chamber with reverse direction fan ;
- 280° thermostat;
- mechanical control panel;
- electronic card with 9 cooking programs ;
- $\circ\,$ needle probe for core cooking and cooking at Δ T° ;
- door opening on the right (on the left on request);
- cold door with low-emissivity glass (openable internal glass);
- cooling function at the end of cooking ;
- condensation collection tray on door;
- door opening sensor;
- manual or automatic steam injection ;
- interior lighting ;
- extractable anti-tipping tray guides;
- interlocking door seal.

CE mark

Made in Italy

TECHNIC	AL CARD
power supply	Monofase
Volts	V 400/3 +N
frequency (Hz)	50
motor power capacity (Kw)	6,45
net weight (Kg)	87

	depth (mm) 910 height (mm) 750	
	AVAILABLE MODELS	
TD-FEM05NEMIDVH2O	TECNODOM-OVEN CONVECTION-STEAM Electric, 5 trays GN1/1 or 60x40 cm, with HUMIDIFIER, mod. NERONE MID 5 MEC H2O ELECTRIC CONVECTION-STEAM OVEN, capacity 5 Gastro-Norm 1/1 or 600x400 mm trays (excluded), MECHANICAL CONTROLS, V.400/3 + N, Kw.6,45, Weight 87 Kg, dim.mm.840x910x750h	€ 1.622,42 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TD-FEMO5NEMIDV	TECNODOM-CONVECTION OVEN Electric, 5 GN1/1 or 600x400 mm trays, MECHANICAL CONTROLS, mod. NERONE MID 5 MEC, CONVECTION OVEN Electric, capacity 5 Gastro-Norm 1/1 or 600x400 mm trays (excluded), MECHANICAL CONTROLS, V.400/3 + N, Kw.6,45, Weight 87 Kg, dim.mm.840x910x750h	€ 1.610,41 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
	TECHNICAL CARD	
CODE/PICTURES	DESCRIPTION	PRICE/DELIVER
TD-FOGRGGN	GN 1/1 chromed grill Gastro-Norm chromed grill 1/1 (mm 530x325)	€ 33,11 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
TD-FOGRGPS		€ 41,39
(TECHNO)		VAT escluded Shipping to be calculed
	Chrome Pastry Grid Chromed grill for pastry (mm 600x400)	Delivery from 4 to 9 days
TD-FOTGLPAS	Aluminum Pastry Tray Aluminum tray for pastry (mm 600x400)	€ 53,28 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
TD-BIGN1/1-65		€ 57,37 VAT escluded
	GN 1/1 stainless steel tray Gastro-Norm 1/1 stainless steel tray (mm 530x325x65h)	Shipping to be calculed Delivery from 4 to 9 days
TD-KITPIETRANEGN		€ 208,95 VAT escluded Shipping to be calculed
Canocer	GN 1/1 refractory stone plate Gastro-Norm 1/1 refractory stone plate (mm 530x325x15)	Delivery from 4 to 9 days

TD-KITPIETRANEPS



Refractory stone plate Refractory stone plate, dim.mm.600x400x15







