



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
JP-TSM101-R	MANUAL LEVER THERMOSEALING MACHINE WITHOUT MOLD, for PREFORMED TRAYS with MAXIMUM SIZE of mm 205x150x100h, V.230/1, kw 0,5, dimensions mm 260x300x500h	
PROFESSIONAL DESCRIPTION		

MANUAL THERMAL SEALER for TRAYS, Without MOLDS:

- made **for packaging in PREFORMED TRAYS** with **MAXIMUM size of 205x150x100h mm** from seal with **transparent FILM**;
- Built in **stainless steel** and **anodized aluminum** ;
- **Teflon-coated aluminum sealing plate** with **electronic temperature control** (0°-200°);
- **Nine storable welding PROGRAMS**;
- **Acoustic** and **luminous** alarm at the end of the cycle;
- **Motorized automatic welding**, powered only by electricity;
- The **sealing cycle is activated** automatically **with the mold fully inserted**;
- **The closing film is dragged automatically** by inserting the mold into the machine and is then **automatically cut at the end of the sealing cycle** ;
- **Film reel** maximum **dimensions** : length **150 mm** - diameter **160 mm** .


OPERATION'

- Insert the tray into the mold placed on the guides,
- Push the mold to the **BOTTOM** towards the machine by gripping the athermic handle,
- Start the welding cycle by manually acting on the appropriate lever,
- At the sound of the BIP you can extract the mold and remove the tray.

OPTIONALS - ACCESSORIES :

- **INFINITY mould, ADJUSTABLE** for trays, patented, **ADAPTABLE with an operation of 3 seconds** , to **12 different FORMATS**;
- On request: **Design of molds** for customized trays;
- **Carter** protect Film;
- **Micro-Puncher Group for film** (necessary when you want to pack very hot products that emit a lot of steam);

CE mark
Made in Italy

TECHNICAL CARD		
	power supply	Monofase
	Volts	V 230/1
	frequency (Hz)	50
	motor power capacity (Kw)	0,5
	net weight (Kg)	20
	breadth (mm)	260
	depth (mm)	300
	height (mm)	500
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
JP-DA000098		
	Drilling group Drilling group for TSS101-R TSM101-R	

JP-DS0137



**Technochef - INFINITY 1 MOLD for Thermosealer
modd.TSM101-R and TSS101-R**

INFINITY 1 Adjustable Mold - seals 190x137 cardboard
and polypropylene trays, the 137x125 format in
cardboard and the 137x95 format in polypropylene.