

TECNOSERVICE'21 srl by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

BOXED CENTRIFUGAL VACUUM CLEANERS with STAINLESS STEEL PANELS, TRANSMISSION version with BELTS and PULLEYS, 1 SPEED, COMPLETE RANGE with max flow rate from 2,000 to 15,000 m3/cubic/hour:

• double intake centrifugal boxed fan with motor directly coupled to the impeller (forward blades), by means of pulleys and belts ;

- $\circ~$ centrifugal fan built with sturdy hot-dip galvanized steel and mounted on rubber cushioned feet;
- 1 speed ;
- aluminum profile frame;
- $\circ\,$ sandwich paneling in galvanized sheet metal on the inside and stainless steel on the outside ;
- double panel.

NOTE:

On request and for limited powers it is possible to install single-phase MOTORS V. 230/1.

CE mark Made in Italy


	AVAILABLE MODELS	
TCF475-000620		€ 928,47
	Boxed centrifugal aspirator, belt drive, max flow rate 2,000 m²/h, V.380/3	VAT escluded Shipping to be calculed
	BOXED FAN WITH CENTRIFUGAL TRANSMISSION FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 2,000 m/cubic/hour, 1440 rpm, 1 speed, db 65, V.380/3, Kw.0,55, Weight 39 Kg, dim .mm.800x600x600h	Delivery from 8 to 15 day:
TCF475-000630		€ 948,47
	Boxed centrifugal aspirator, belt drive, max flow rate 2,500 m ² /h, V.380/3	VAT escluded Shipping to be calculed
	BOXED FAN WITH CENTRIFUGAL TRANSMISSION FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 2,500 m/cubic/hour, 1450 rpm, 1 speed, db 67, V.380/3, Kw.0,75, Weight 40 Kg, dim .mm.800x600x600h	Delivery from 8 to 15 days

TCF475-000610	Boxed centrifugal aspirator, belt transmission, max flow rate 2.000 m ² /h, V.380/3 BOXED ASPIRATOR with 1-speed CENTRIFUGAL FAN, TRANSMISSION with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 1.500 m/cubic/hour, 1300 rpm, db 62, V.380/3, Kw.0,55, Weight 38 Kg, dim .mm.600x800x600	€ 908,89 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-000650	Boxed centrifugal aspirator, belt drive, max flow rate 3,500 m ³ /h, V.380/3 BOXED FAN WITH CENTRIFUGAL TRANSMISSION FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 3,500 m/cubic/hour, 1430 rpm, 1 speed, db 69, V.380/3, Kw.1,5, Weight 58 Kg, dim .mm.800x620x620h	€ 989,13 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-000640	Boxed centrifugal aspirator, belt transmission, max flow rate 3.000 m ³ /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 3.000 m3/cubic/hour, 1500 rpm, 1 speed, db 68, V.380/3, Kw.0,75, Weight 40 Kg, dim .mm.800x600x600h	€ 944,73 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-000660	Boxed centrifugal aspirator, belt drive, max flow rate 3,500 m ³ /h, V.380/3 BOXED FAN WITH CENTRIFUGAL TRANSMISSION FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 3,500 m/cubic/hour, 1700 rpm, 1 speed, db 69, V.380/3, Kw.1,5, Weight 58 Kg, dim .mm.800x620x620h	€ 1.007,78 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-000690	Boxed centrifugal aspirator, belt transmission, max flow rate 3.500 m ² /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 3.500 m/cubic/hour, 1260 rpm, 1 speed, db 67, V.380/3, Kw.1,1, Weight 47 Kg, dim .mm.800x620x620h	€ 992,24 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-000700	Boxed centrifugal aspirator, belt transmission, max flow rate 4.000 m²/h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 4,000 m3/cubic/hour, 1240 rpm, 1 speed, db 68, V.380/3, Kw.1,1, Weight 47 Kg, dim .mm.800x620x620h	€ 992,24 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-000710	Boxed centrifugal aspirator, belt transmission, max flow rate 4.500 m ³ /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, INOX panels, max flow rate 4.500 m/cubic/hour, 1290 rpm, 1 speed, db 70, V.380/3, Kw.1,5, Weight 59 Kg, dim .mm.800x620x620h	€ 1.013,96 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-000670	Boxed centrifugal aspirator, belt transmission, max flow rate 4.000 m ³ /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 4,000 m3/cubic/hour, 1450 rpm, 1 speed, db 72, V.380/3, Kw.1,5, Weight 58Kg, dim. mm.800x620x620h	€ 1.019,13 VAT escluded Shipping to be calculed Delivery from 8 to 15 days

TCF475-000680	Boxed centrifugal aspirator, belt transmission, max flow rate 4.000 m³/h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 4,000 m/cubic/hour, 1600 rpm, 1 speed, db 72, V.380/3, Kw.1,5, Weight 58 Kg, dim .mm.800x620x620h	€ 1.060,92 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000720	Boxed centrifugal aspirator, belt transmission, max flow rate 5.000 m³/h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 5,000 m3/cubic/hour, 1200 rpm, 1 speed, db 68, V.380/3, Kw.1,5, Weight 84 Kg, dim .mm.900x750x750h	€ 1.113,74 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000760	Boxed centrifugal aspirator, belt transmission, max flow rate 5.000 m³/h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 5,000 m3/cubic/hour, 1040 rpm, 1 speed, db 66, V.380/3, Kw.1,5, Weight 85 Kg, dim .mm.900x750x750h	€ 1.128,32 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000770	Boxed centrifugal aspirator, belt transmission, max flow rate 6.000 m³/h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 6,000 m3/cubic/hour, 1000 rpm, 1 speed, db 68, V.380/3, Kw.1,5, Weight 85 Kg, dim .mm.900x750x750h	€ 1.117,67 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000730	Boxed centrifugal aspirator, belt transmission, max flow rate 5.000 m ² /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 5,000 m3/cubic/hour, 1250 rpm, 1 speed, db 68, V.380/3, Kw.1,5, Weight 84 Kg, dim .mm.900x750x750h	€ 1.170,49 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000740	Boxed centrifugal aspirator, belt transmission, max flow rate 6.000 m²/h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 6,000 m/cubic/hour, 1150 rpm, 1 speed, db 70, V.380/3, Kw.2,2, Weight 85 Kg, dim .mm.900x750x750h	€ 1.177,19 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000780	Boxed centrifugal aspirator, belt transmission, max flow rate 7.000 m²/h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 7,000 m3/cubic/hour, 1050 rpm, 1 speed, db 69, V.380/3, Kw.2,2, Weight 86 Kg, dim .mm.900x750x750h	€ 1.190,63 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000750	Boxed centrifugal aspirator, belt transmission, max flow rate 6.000 m³/h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 6,000 m/cubic/hour, 1200 rpm, 1 speed, db 70, V.380/3, Kw.2,2, Weight 85Kg, dim. mm.900x750x750h	€ 1.210,16 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		

TCF475-000790	Boxed centrifugal aspirator, belt transmission, max flow rate 7.000 m ³ /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, INOX panels, max flow rate 7.000 m/cubic/hour, 1000 rpm, 1 speed, db 72, V.380/3, Kw.2,2, Weight 111 Kg, dim .mm.1000x900x900h	€ 1.459,74 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000830	Boxed centrifugal aspirator, belt transmission, max flow rate 8.000 m ² /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 8,000 m3/cubic/hour, 830 rpm, 1 speed, db 68, V.380/3, Kw.2,2, Weight 112 Kg, dim .mm.1000x900x900h	€ 1.465,54 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000840	Boxed centrifugal aspirator, belt transmission, max flow rate 9.000 m ² /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 9,000 m3/cubic/hour, 810 rpm, 1 speed, db 69, V.380/3, Kw.2,2, Weight 112 Kg, dim .mm.1000x900x900h	€ 1.468,07 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000800	Boxed centrifugal aspirator, belt transmission, max flow rate 7.000 m ³ /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 7,000 m3/cubic/hour, rpm 1140, 1 speed, db 74, V.380/3, Kw.3,00, Weight 112 Kg, dim .mm.1000x900x900h	€ 1.486,68 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000810	Boxed centrifugal aspirator, belt transmission, max flow rate 8.000 m²/h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 8,000 m3/cubic/hour, 1000 rpm, 1 speed, db 73, V.380/3, Kw.3,00, Weight 112 Kg, dim .mm.1000x900x900h	€ 1.492,33 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000820	Boxed centrifugal aspirator, belt transmission, max flow rate 8.000 m ³ /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 8.000 m3/cubic/hour, 1100 rpm, 1 speed, db 75, V.380/3, Kw.3,00, Weight 112 Kg, dim .mm.1000x900x900h	€ 1.487,21 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000850	Boxed centrifugal aspirator, belt transmission, max flow rate 10.000 m ³ /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 10,000 m/cubic/hour, 800 rpm, 1 speed, db 69, V.380/3, Kw.3,00, Weight 113 Kg, dim .mm.1000x900x900h	€ 1.501,58 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		
TCF475-000900	Boxed centrifugal aspirator, belt transmission, max flow rate 11.000 m ³ /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 11,000 m3/cubic/hour, 770 rpm, 1 speed, db 69, V.380/3, Kw.3.00, Weight 116 Kg, dim .mm.1200x1000x1000h	€ 1.761,46 VAT escluded Shipping to be calculed Delivery from 8 to 15 days		

TCF475-000860	Boxed centrifugal aspirator, belt transmission, max flow rate 10.000 m ² /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 10,000 m3/cubic/hour, 800 rpm, 1 speed, db 74, V.380/3, Kw.3.00, Weight 115 Kg, dim .mm.1200x1000x1000h	€ 1.669,90 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-000910	Boxed centrifugal aspirator, belt transmission, max flow rate 13.000 m ³ /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, INOX panels, max flow rate 13,000 m3/cubic/hour, 730 rpm, 1 speed, db 70, V.380/3, Kw.3,00, Weight 116 Kg, dim .mm.1200x1000x1000h	€ 1.809,12 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-000920	Boxed centrifugal aspirator, belt transmission, max flow rate 15.000 m ³ /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, INOX panels, max flow rate 15.000 m3/cubic/hour, 700 rpm, 1 speed, db 73, V.380/3, Kw.4,00, Weight 117 Kg, dim .mm.1200x1000x1000h	€ 1.798,58 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-000890	Boxed centrifugal aspirator, belt transmission, max flow rate 12.000 m ² /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 12,000 m/cubic/hour, 870 rpm, 1 speed, db 78, V.380/3, Kw.4,00, Weight 116 Kg, dim .mm.1200x1000x1000h	€ 1.776,68 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-000880	Boxed centrifugal aspirator, belt transmission, max flow rate 12.000 m²/h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 12,000 m/cubic/hour, 780 rpm, 1 speed, db 76, V.380/3, Kw.4,00, Weight 116 Kg, dim .mm.1200x1000x1000h	€ 1.779,30 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-000870	Boxed centrifugal aspirator, belt transmission, max flow rate 10.000 m ² /h, V.380/3 BOXED ASPIRATOR with TRANSMISSION CENTRIFUGAL FAN with BELTS and PULLEYS, STAINLESS STEEL panels, max flow rate 10,000 m3/cubic/hour, 900 rpm, 1 speed, db 77, V.380/3, Kw.4,00, Weight 116 Kg, dim .mm.1200x1000x1000h	€ 1.793,72 VAT escluded Shipping to be calculed Delivery from 8 to 15 days



TECH	ING												
CH	EF)											
Modello / Model	m%h	HST H40	dB	rpm	kW	Lmm	Pmm	Hmm	Amm	Bmm	Emm	Fmm	Kg
ECT 9/9 A1	2000	30	62	1300	0,37	600	800	600	275	310	248	145	38
ECT 9/9 A2	2000	40	85	1440	0,55	600	800	600	275	310	248	145	39
ECT 9/9 B1	2500	30	62	1260	0,55	600	800	600	275	310	248	145	39
ECT 9/9 82	2500	40	67	1450	0,75	600	800	600	275	310	248	145	40
ECT 9/9 C1	3000	30	63	1250	0,55	600	800	600	275	310	248	145	39
ECT 9/9 C2	3000	40	88	1500	0,75	600	800	600	275	310	248	145	40
ECT 10/8 A1	3500	50	69	1430	1.5	620	800	620	300	278	258	172	58
ECT 10/8 A2	3500	60	69	1700	1,5	620	800	620	300	278	258	172	58
ECT 10/8 B1	4000	50	72	1450	1,5	620	800	620	300	278	258	172	58
ECT 10/8 B2	4000	60	72	1600	1,5	620	800	620	300	276	258	172	58
ECT 10/10 A1	3500	30	63	1080	0,75	620	800	620	300	340	258	140	48
ECT 10/10 A2	3500	40	67	1260	1,1	620	800	620	300	340	258	140	47
ECT 10/10 B1	4000	30	65	1080	1,1	820	800	620	300	340	258	140	47
ECT 10/10 B2	4000	40	68	1240	1,1	620	800	620	300	340	258	140	47
ECT 10/10 C1	4500	30	68	1090	1,1	620	800	620	300	340	258	140	47
ECT 10/10 C2	4500	40	70	1290	1,5	620	800	620	300	340	258	140	59
ECT 12/9 A1	5000	50	68	1200	1,5	750	900	750	355	320	298	215	84
ECT 12/9 A2	5000	60	68	1250	1,5	750	900	750	355	320	298	215	84
ECT 12/9 B1	6000	50	70	1150	2,2	750	900	750	355	320	296	215	85
ECT 12/9 B2	6000	60	70	1200	2,2	750	900	750	355	320	298	215	85
ECT 12/12 A1	5000	30	62	850	1,1	750	900	750	355	410	298	170	83
ECT 12/12 A2	5000	40	66	1040	1.5	750	900	750	355	410	298	170	85
ECT 12/12 B1	6000	30	65	830	1,1	750	900	750	355	410	296	170	83
ECT 12/12 B2	6000	40	68	1000	1,5	750	900	750	355	410	298	170	85
ECT 12/12 C1	7000	30	67	820	1,1	750	900	750	355	410	298	170	83
ECT 12/12 C2	7000	40	69	1050	2,2	750	900	750	355	410	298	170	86
ECT 15/11 A1	7000	50	72	1000	2,2	900	1000	900	414	384	349	258	111
ECT 15/11 A2	7000	60	74	1140	3	900	1000	900	414	384	349	258	112
ECT 15/11 B1	8000	50	73	1000	3	900	1000	900	414	384	349	258	112
ECT 15/11 B2	8000	60 30	75	1100	3	900	1000	900	414	384	349	258	112
ECT 15/15 A1	8000	40	68	700	1,5	900	1000	900	414	484	349 349	208	
ECT 15/15 A2	9000	40	08	720	1.5	900	1000	900		484	349	208	112
ECT 15/15 B1 ECT 15/15 B2	9000	40	00	810		900	1000	900	414	484	349	208	110
ECT 15/15 E2	10000	40	68	700	2.2	900	1000	900	414	484	349	208	112
ECT 15/15 C1	10000	40	69	800	3	900	1000	900	414	484	349	208	112
		40	74	800	3	1000	1200	1000	414	484	423	208	113
ECT 18/13 A1	10000	60	77	900	4	1000	1200	1000	492	438	423	281	115
ECT 18/13 A2 ECT 18/13 B1	12000	50	78	780	4	1000	1200	1000	492	438	423	281	110
					4						423		
ECT 18/13 B2 ECT 18/18 A1	12000	60 30	78	870	2.2	1000	1200	1000	492	438 570	423	281	116
ECT 18/18 A1	11000	40	69	770	3	1000	1200	1000	492	570	423	215	116
ECT 18/18 A2	11000	40	68	620	2.2	1000	1200	1000	492	570	423	215	110
					3						423		
ECT 18/18 B2	13000	40	70	730		1000	1200	1000	492	570	423	215	116
ECT 18/18 C1	15000	30	72	000	3 4	1000	1200	1000	492	570 570	423	210	110