

TECNOSERVICE'21 srl by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



## PROFESSIONAL DESCRIPTION

SUCTION and DEODORIZATION UNITS with ACTIVATED CARBON and ELECTROSTATIC and SYNTHETIC PRE-FILTERS, COMPLETE RANGE in THREE-PHASE version, with max flow rate from 3,000 to 12,000 m3/cu/h:

• air deodorization and filtration units complete with double suction centrifugal fan in version with belts and pulleys ;

- EU3 type 85% gravimetric air pre-filter;
- cylinders with activated vegetable carbon in small cylinders type 207/C;
- high intensity electrostatic filter with thermostat protection;
- aluminum profile frame ;
- double paneling in galvanized steel inside and stainless steel outside ;
- double panel;
- 3-piece construction (Mod.ECET 175 / 190 / 1120).

## Accessories/Options:

- $\circ~$  spare carbon filter, diam.mm 160x400  $\,$
- spare coal bag, weight 25 Kg.

CE mark Made in Italy

## **AVAILABLE MODELS**



Deodorization unit with activated carbon and electrostatic and synthetic pre-filters, V.400/3 DEODORIZATION UNIT with 9 CYLINDERS of vegetable activated carbon, electrostatic and synthetic pre-filters, max flow rate 3000 m3/cubic/h, rpm 1600, V.400/3, Kw.1,5, Weight 155 Kg, dim.mm. 1700x670x670h € 3.697,55 VAT escluded Shipping to be calculed

Delivery from 8 to 15 days

TCF475-006200	Deodorization unit with activated carbon and electrostatic and synthetic pre-filters, V.400/3 DEODORIZATION UNIT with 14 CYLINDERS of vegetable activated carbon, electrostatic and synthetic pre-filters, max flow rate 4500 m3/cubic/h, rpm 1280, V.400/3, Kw.1,5, Weight 200 Kg, dim.mm. 1700x980x750h	€ 4.909,86 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-006300	<b>Deodorization unit with activated carbon and</b> <b>electrostatic and synthetic pre-filters, V.400/3</b> DEODORIZATION UNIT with 18 CYLINDERS of activated vegetable carbon, electrostatic and synthetic pre-filters, max flow rate 6000 m3/cubic/h, rpm 1200, V.400/3, Kw.2,2, Weight 285 Kg, dim.mm. 1800x1280x800h	€ 5.697,87 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-006400	Deodorization unit with activated carbon and electrostatic and synthetic pre-filters, V.400/3 DEODORIZATION UNIT with 23 CYLINDERS of activated vegetable carbon, electrostatic and synthetic pre-filters, max flow rate 7500 m3/cubic/h, rpm 1100, V.400/3, Kw.3,00, Weight 330 Kg, dim.mm. 1800x1590x800h	€ 7.516,33 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-006500	Deodorization unit with activated carbon and electrostatic and synthetic pre-filters, V.400/3 DEODORIZATION UNIT with 28 CYLINDERS of vegetable activated carbon, electrostatic and synthetic pre-filters, max flow rate 9000 m3/cubic/h, rpm 900, V.400/3, Kw.3,00, Weight 370 Kg, dim.mm. 2100x1280x980h	€ 9.759,11 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
TCF475-006600	Deodorization unit with activated carbon and electrostatic and synthetic pre-filters, V.400/3 DEODORIZATION UNIT with 36 CYLINDERS of vegetable activated carbon, electrostatic and synthetic pre-filters, max flow rate 12000 m3/cubic/h, rpm 1000, V.400/3, Kw.5,5, Weight 425 Kg, dim.mm. 2100x1280x1280h	€ 13.577,96 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
	TECHNICAL CARD	
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
AIF-FCA16	<b>Carbon filter</b> Carbon filter, diam.mm.160x400	€ 62,15 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
AIF-SCA25	<b>Coal sack</b> Coal bag of 25 Kg	€ 108,02 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
		Shipping to be calculed

