



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNOCHEF.IT



forcar

CODE	DESCRIPTION	PRICE/DELIVERY
FO-G-PZ2610TN	REFRIGERATED PIZZA COUNTER 2 DOORS, CHEST OF 7 DRAWERS, GRANITE top, temperature +2/+8°C, V.230/1, Ventilated, ECOLOGICAL in Class B, Gas R290, Kw.0.26, Weight 362 Kg, dim .mm.2025x800x1000h	€ 1.422,34 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
PROFESSIONAL DESCRIPTION		

REFRIGERATED PIZZA COUNTER 2 DOORS + CHEST OF DRAWERS for loaves of bread , with GRANITE TOP and BACKPACK on 3 sides, operating temperature +2°/+8°, Class B:

- **Aisi 304 stainless steel structure** ,
- **granite worktop** with splashback on 3 sides,
- **2 refrigerated compartments** capable of hosting **600x400x70h mm loaf containers** ,
- operating temperature +2°/+8°C,
- **neutral chest of drawers with 7 drawers** capable of hosting **7 loaf containers measuring 600x400x70h mm - NOT INCLUDED** ,
- **capacity 386 litres** ;
- **ventilated refrigeration** ,
- **removable built-in unit** for easy maintenance,
- **neutral drawer above technical compartment** ,
- insulation thickness: 50 mm,
- **circular flow of the cold air** so as not to directly touch the product,
- **electronic temperature control with digital thermostat** ,
- electric resistance around the door frame to eliminate condensation,
- **automatic defrost** with electric resistance,
- **automatic defrost temperature control** ,
- **automatic evaporation of condensation water** ,
- anti-corrosion treated evaporator,
- **ECOLOGICAL Refrigerating Group with R290 gas** ;
- **Energy CLASS B**
- max ambient temperature/humidity: +32°C / 55%HR;
- door with return spring,
- door seal removable without tools,
- bottom with rounded corners,
- height-adjustable **feet in Aisi 304 stainless steel** ,
- stainless steel backrest,
- possibility of leaning against the wall;


Supplied :

- n.7 pairs of guides per door

NB : Pizza loaf holder containers - NOT INCLUDED.

CE mark
Made in ASIA

TECHNICAL CARD		
	power supply	Monofase
	Volts	V 230/1
	frequency (Hz)	50
	motor power capacity (Kw)	0,26
	net weight (Kg)	362
	gross weight (Kg)	399
	breadth (mm)	2025
	depth (mm)	800
	height (mm)	1000

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
FO-GRP64		
	Forcar - Plasticized Grid 600x400 mm plastic coated grid	€ 14,56 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days

FO-GUT



Forcar - Driving Couple

Pair of trays for trays

€ 15,91

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

FO-GAR



Forcar - Pair of anti-tilt guides

Pair of anti-tilt guides for grill

€ 18,56

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

