



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



**FORCOLD**

PROFESSIONAL DESCRIPTION

**REFRIGERATED PIZZA COUNTER 2 DOORS , Granite top and SHOWCASE Ingredients DEEP 330 or 380 mm , operating temperature -2 ° / + 8 ° C , Class C :**

- **Aisi 201 stainless steel structure ,**
- **granite worktop with backsplash on 3 sides ,**
- **2 refrigerated compartments** able to accommodate **600x400x70h mm loaf boxes ,**
- **capacity lt . 390;**
- **ventilated refrigeration ,**
- **built-in unit removable** for easy maintenance,
- front panel that can be opened with a key,
- **circular flow of cold air** so as not to directly touch the product,
- **electronic temperature control with digital thermostat ,**
- electrical resistance around the door frame to eliminate condensation,
- **automatic defrost with electric resistance ,**
- **automatic control of the defrost temperature ,**
- **automatic evaporation of condensation water ,**
- anti-corrosion treated evaporator,
- **ECOLOGICAL GAS R600a ;**
- **CLASS C ;**
- insulation thickness: 60 mm;
- door with return spring,
- door gasket removable without tools,
- max ambient temperature / humidity: + 35 ° C / 50% HR;
- bottom with rounded corners,
- **height-adjustable stainless steel feet ,**
- possibility to lean against the wall.

Equipped with **horizontal refrigerated SHOWCASE** complete with glass and refrigeration unit, **capable of containing :**

- **7 GN 1/4 containers** (265x162 mm), with max height 150 mm for the Mod. **FOPZ2600TN- FC33 ,**
- **5 GN 1/3 containers** (325x175 mm) + 1 GN 1/2 (325x265 mm) with max height 150 mm for the Mod. **FOPZ2600TN- FC38 .**

**Included :**

- 7 pairs of guides per door

**NB: BASINS NOT INCLUDED**

**CE mark**

**Made in ASIA**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>breadth (mm)</b>	1510
<b>depth (mm)</b>	800
<b>height (mm)</b>	1400

**AVAILABLE MODELS**

**FC-G-PZ2600TN38-FC**



**REFRIGERATED PIZZA COUNTER 2 DOORS, with 380 mm deep refrigerated display case**  
 REFRIGERATED PIZZA COUNTER 2 DOORS, refrigerated display case 380 mm deep, capacity 5 GN 1/3 containers (mm 325x175) + 1 GN 1/2 container (mm 325x265), temp. -2°/+8 °C, Ventilated, ECOLOGICAL in Class C, Kw.0,275, V.230/1, Weight 271 Kg, dim.mm.1510x800x1400h

**€ 1.264,30**

*VAT escluded*  
**Shipping to be calculed**

**Delivery**

**FC-G-PZ2600TN33-FC**



**REFRIGERATED PIZZA COUNTER 2 DOORS, with refrigerated display case 330 mm deep**  
 REFRIGERATED PIZZA COUNTER 2 DOORS, with refrigerated display case 330 mm deep, capacity 7 GN 1/4 pans (265x162 mm), temperature -2 ° / + 8 ° C, Ventilated, ECOLOGICAL in Class C, Gas R600a, Kw.0,275, V .230 / 1, Weight 267 Kg, dim.mm.1510x800x1400h


**€ 1.233,72**

*VAT escluded*  
**Shipping to be calculated**

**Delivery**



Mod. FC-PZ2600TN-FC38 Cap. 5 bacinelle GN 1/3 + 1 GN 1/2



Mod. FC-PZ2600TN-FC33 Cap. 7 bacinelle GN 1/4