



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
TCF055-0400	DISHWASHER with SQUARE basket 500x500 mm, ELECTROMECHANICAL CONTROLS, 2 Washing Cycles for 30-40 baskets / hour, Max useful height 350 mm, RINSE AID dispenser, V.230 / 1, Kw.3.55, Weight 49 Kg, dim.mm .572x633x814h	€ 1.068,86 <i>VAT excluded</i> Shipping to be calculated Delivery from 8 to 15 days
PROFESSIONAL DESCRIPTION		

DISHWASHER with SQUARE basket 500x500 mm, USEFUL washing height Max 350 mm, output 30-40 baskets / hour, ELECTROMECHANICAL controls :

- **partial double-walled bodywork** , which guarantees a 25% reduction in heat loss;
- **completely molded self-cleaning tank** to facilitate the flow of impurities;
- **anti-drip roof** ;
- **wash and rinse arms** in **AISI 304** stainless steel;
- **basket supports printed** to facilitate cleaning of the machine as well as for greater ergonomics;
- **Thermostop system** to ensure rinsing at the right temperature for proper sanitization of the object to be washed;
- **control panel removable from the front** ;
- **predisposition of standard drain pump** ;
- **standard rinse aid dispenser** ;
- non-return valve as standard;
- **possibility to wash up to 4 GN 1/1 trays** (53x32.5 cm) **or 7 GN1 / 1 trays** with a **Max Height of 350 mm**;
- **2 washing cycles of 90/120 sec** ;
- **hourly productivity: 30-40 baskets / h**;
- **useful washing height : 350 mm**;
- water consumption per cycle 2 lt;
- **washing pump power Kw.0.55** ;
- tank capacity: 20 lt;
- boiler capacity: 5 lt;
- tank resistance: Kw.2,4;
- boiler resistance: Kw.3.00;
- dim.mm.572x633 / 1038x814h


Included :


- 1 Basket 500 x 500 mm for 12/18 plates;
- 1 glass basket 500 x 500 m;
- 1 basket for spoons;
- 1 Water Inlet Hose (length 2 meters);
- 1 drain hose (length 2.5 meters).

Accessories / Optionals :

- **Drain pump** kit
- Tank detergent dispenser kit
- Tank **filter** kit for mod. 50x50
- **Stainless steel basket holder base** for mod. 50x50
- Basket for Glasses 50x50 cm
- Dish basket 50x50 cm

CE mark
Made in Italy

TECHNICAL CARD		
	power supply	Monofase
	Volts	V 230/1
	frequency (Hz)	50
	motor power capacity (Kw)	3,55
	net weight (Kg)	49
	gross weight (Kg)	57
	breadth (mm)	572
	depth (mm)	633
	height (mm)	814
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
TCF055-0450		
	Basket 50x50 plates 500x500 mm dish basket	€ 32,40 <i>VAT escluded</i> Shipping to be calced Delivery from 4 to 9 days



(EI) CAVO DI ALIMENTAZIONE
POWER CORD SUPPLY
CABLE D'ALIMENTATION
CABLE DE ALIMENTACION

(WI) CANNA DI CARICO G. 3/4" L=2000 mm
G. 3/4" INLET HOSE L=2000 mm
TOURAU D'ALIMENTATION G. 3/4" L=2000 mm
TUBO DE ALIMENTACION G. 3/4" L=2000 mm

(D) TUBO DI SCARICO ø 29 mm L=2500 mm
DRAIN HOSE ø 29 mm L=2500 mm
TOURAU DE VIDANGE ø 29 mm L=2500 mm
TUBO DE DESAGUE ø 29 mm L=2500 mm

(D-BP) TUBO DI SCARICO ø 29 mm L=2500 mm (CON POMPA SCARICO)
DRAIN HOSE ø 29 mm L=2500 mm (WITH DRAIN PUMP)
TOURAU DE VIDANGE ø 29 mm L=2500 mm (AVEC POMPE DE VIDANGE)
TUBO DE DESAGUE ø 29 mm L=2500 mm (CON POMPA DE DESAGUE)