



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



| CODE                     | DESCRIPTION  | PRICE/DELIVERY  |
|--------------------------|--|---|
| <b>TCF055-0100</b>       | GLASS WASHER-WASHING MACHINE Bar with SQUARE basket 350x350 mm, ELECTROMECHANICAL controls, 1 cycle of 120 sec, 30 baskets / hour, max glass height 250 mm, RINSE AID dispenser, V.230 / 1, Kw. 2.89, Weight 30 Kg, dim.mm.440x497x630h. | <b>€ 617,42</b><br><i>VAT excluded</i><br><b>Shipping to be calculated</b><br><b>Delivery</b> from 8 to 15 days |
| PROFESSIONAL DESCRIPTION |  |   |

**GLASS WASHER with SQUARE basket 350x350 mm or Round 350 mm diameter with Special Support, output 30 baskets / hour, ELECTROMECHANICAL controls :**

- **wash and rinse arms** in **AISI 304 stainless steel** , easy to inspect;
- **completely molded self-cleaning tank** to facilitate the flow of impurities;
- **Thermostop system** to ensure rinsing at the right temperature for proper sanitization of the object to be washed;
- **anti-drip roof** ;
- **control panel** removable from the front;
- **ease of maintenance** : the most sensitive components have been positioned on the front of the machine (solenoid valve, thermostats, resistors, dispensers, pump, etc.);
- **predisposition drain pump** ;
- **standard rinse aid dispenser** ;
- **non-return valve as standard** ;
- single-walled bodywork;
- double-skinned door;
- **n. 1 wash cycle of 120 seconds** ;
- **hourly productivity: 30 baskets / hour** ;
- **useful washing height: 250 mm** ;
- water consumption per cycle 2 lt;
- tank capacity: 10 lt;
- boiler capacity: 3 lt;
- **washing pump power Kw.0,2** ;
- tank resistance: Kw.2,4;
- boiler resistance: Kw.2,7;
- dim.mm.440x497 / 788x630h.

**NOTE:**

- By ordering **the appropriate SUPPORT** , it is possible to use **round baskets with a diameter of 35 cm**

**Supplied :**

- 2 Glass Baskets 350 x 350 mm,
- 1 Spoon holder basket,
- 1 saucer rack,
- 1 Water Inlet Hose (length 2 meters),
- 1 drain hose (length 2.5 meters).


**Accessories / Optional :**

- **SUPPORT** for **round basket mod. 35x35 cm**
- ROUND basket diam. 35 cm,
- Detergent dispenser kit,
- Drain Pump Kit,

**CE mark**  
**Made in Italy**

| TECHNICAL CARD |                           |                |
|----------------|---------------------------|----------------|
|                | power supply              | Monofase       |
|                | Volts                     | V 230/1        |
|                | frequency (Hz)            | 50             |
|                | motor power capacity (Kw) | 2,89           |
|                | net weight (Kg)           | 30             |
|                | gross weight (Kg)         | 39             |
|                | breadth (mm)              | 440            |
|                | depth (mm)                | 497            |
|                | height (mm)               | 630            |
| TECHNICAL CARD |                           |                |
| CODE/PICTURES  | DESCRIPTION               | PRICE/DELIVERY |

TCF055-0170



**Round Basket Support**  
Round basket support diam.35 cm

**€ 14,73**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

TCF055-0160



**Square Basket 35x35**  
Square basket 35x35 cm

**€ 21,80**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

TCF055-0150




**Round Basket**  
Round basket diam.35 cm

**€ 24,15**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

TCF055-0480




**Detergent dosing kit**  
Detergent dosing kit

**€ 83,20**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days


TCF055-0485




**Drain Pump Kit**  
Underbase drain pump kit

**€ 93,60**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days





**EI** Cavo di Alimentazione  
Power Cord Supply  
Cable d'Alimentation  
Cable de Alimentation

**WI** Canna di Scarico G 3/4" L=2000 mm  
G 3/4" Inlet Hose L=2000 mm  
Tuyau d'Alimentation G 3/4" L=2000 mm  
Tubo de Alimentación G 3/4" L=2000 mm

**D** Tubo di Scarico ø 29 mm L=2500 mm  
Drain Hose ø 29 mm L=2500 mm  
Tuyau de Vidange ø 29 mm L=2500 mm  
Tubo de Desague ø 29 mm L=2500 mm

**D-W** Tubo di Scarico ø 29 mm L=2500 mm (con Pompa Scarico)  
Drain Hose ø 29 mm L=2500 mm (with Drain Pump)  
Tuyau de Vidange ø 29 mm L=2500 mm (avec Pompe de Vidange)  
Tubo de Desague ø 29 mm L=2500 mm (con Pompa de Desague)