



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>TCF055-0500</b>	DISHWASHER-OBJECT WASHER with 500x600 mm basket, ELECTRONIC controls, capacity for 4 GN 1/1 or mm. 600x400, 3 cycles of 90/120/180, double rinse aid+Tank Detergent dispenser, V.400/3+N, Kw.5,18, Weight 68 Kg, dim.mm.600x703x850h	<b>€ 1.795,63</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days
PROFESSIONAL DESCRIPTION		

**DISHWASHER-OBJECT WASHER with 500x600 mm rack, output 40-30-20 racks/hour, ELECTRONIC CONTROLS :**

- **wash and rinse arms in AISI 304 stainless steel;**
- **fully molded self-cleaning tank** to facilitate the outflow of impurities;
- **possibility of washing up to 4 GN 1/1 trays** (53x32.5 cm) or **4 60x40 cm trays** (pizza/pastry);
- **multi-chromatic electronic control panel** which allows you to view the different operating stages of the dishwasher;
- **soft start of the washing pump** to prevent lighter objects from tipping over due to the initial surge of the pump;
- **Thermostop system** to ensure rinsing at the right temperature for correct sanitization of the item to be washed;
- **self-cleaning cycle** of the tank at the end of the day;
- **leak-proof roof** ;
- **control panel removable** from the front;
- **drain pump predisposition** ;
- **built-in electric rinse aid and detergent dispensers** , adjustable from the control panel;
- **standard non-return valve** ;
- **bodywork built in total double wall** which guarantees a reduction of heat dispersion of 60%;
- double-walled door;
- **n 3 washing cycles of 90/120/180 sec + continuous cycle** ;
- **hourly productivity: 40-30-20 baskets/hour** ;
- **useful washing height: 400 mm** ;
- water consumption per cycle 2 litres;
- bowl capacity: 22 l;
- boiler capacity: 5 l;
- **washing pump power Kw.0,68** ;
- tank resistance: Kw.2,4;
- boiler resistance: Kw.4,5;
- dim.mm.600x703/1143x850h.

**Included :**

- Basket for 4 trays/trays,
- 1 Glass/utensil basket 500 x 600 mm,
- 1 Water Inlet Hose (2 m long),
- 1 Exhaust Pipe (2.5 m long)

**Accessories/Options :**

- Undercounter drain pump kit,
- Stainless steel basket base for mod. 50x60,
- Basket 50x60 glasses,
- Basket 50x60 plates.

**CE mark**  
**Made in Italy**

TECHNICAL CARD		
	power supply	Trifase
	Volts	V 400/3 +N
	frequency (Hz)	50
	motor power capacity (Kw)	5,18
	net weight (Kg)	68
	gross weight (Kg)	81
	breadth (mm)	600
	depth (mm)	703
	height (mm)	850
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY


TCF055-0640



**CestoPiatti 50x60**  
Basket for dishes 50x60 cm

**€ 57,18**  
*VAT excluded*  
**Shipping to be calculated**  
**Delivery** from 4 to 9 days

TCF055-0485



**Drain Pump Kit**  
Underbase drain pump kit

**€ 93,60**  
*VAT excluded*  
**Shipping to be calculated**  
**Delivery** from 4 to 9 days

TCF055-0650



**50x60 Basket**  
Basket for glasses 50x60 cm

**€ 57,18**  
*VAT excluded*  
**Shipping to be calculated**  
**Delivery** from 4 to 9 days

TCF055-0470



**Base unit for dishwasher with guides for 50x50 cm baskets**  
Stainless steel base suitable for dishwashers with basket guides cm.50x50, dim.cm.57x62x55/61h.

**€ 250,13**  
*VAT excluded*  
**Shipping to be calculated**  
**Delivery** from 4 to 9 days