

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



CODE DESCRIPTION PRICE/DELIVERY

CBE-P7-5(20P)

ELECTRIC PLANETARY ROTISSERIE countertop in STAINLESS STEEL with 5 AUCTIONS for 20 CHICKENS, equipped with internal light 708 mm long, weight 108 kg, V.400 / 3 + N. kw 7.3, dimensions mm 1008x660x790h

€ 4.863,72

VAT escluded

Shipping to be calculed

Delivery from 8 to 15 days

PROFESSIONAL DESCRIPTION

G IRARROSTO PLANETARY counter ELECTRIC:

- made of stainless steel;
- equipped with 5 rods for a total of 20 chickens ;
- hourly production of chickens in a continuous cycle;
- it takes up minimal space, to allow easy placement even in the smallest spaces with the possibility of diversifying cooking;
- equipped with n. **3 electric resistances made** of **'incoloid' material** positioned in the upper part of the rotisserie, and inserted in a special parable which, reflecting the infrared, gives the product a **perfect browning and cooking**;
- \circ 708 mm long internal lighting lamp that allows you to better control and view the progress of cooking;
- $\circ\,$ supplied with: basin with grease discharge tap.
- OPTIONAL / ACCESSORIES:
- $\circ \ \ \textbf{Removable} \ \ \text{stainless steel stand with wheels and intermediate shelf,}$
- \circ Hot ventilated showcase with wheels,
- Free-standing hood with stainless steel filters,
- Skewer complete with **forks** ,
- Skewer for Deviled Chicken ,
- Skewer for Roast,
- Special spade with tilting basket,
- Special spade with closed basket ,
- Special skewer with closed basket for potatoes ,
- Sword spear,
- Long Fork Skewer,
- Skewer for **Deviled legs** ,
- Porchetta fork,
- 120 minute timer,
- $\circ~$ Analog thermometer .

	power supply	Trifase	
	Volts	V 400/3 +N	
	frequency (Hz)	50	
motor po	wer capacity (Kw)	7,3	
·	net weight (Kg)	108	
	breadth (mm)	1008	
	depth (mm)	660	
	height (mm)	790	
	TECHNIC	AL CARD	
CODE/PICTURES		DESCRIPTION	PRICE/DELIVERY
	Complete spit for rotisseries Rack complete with forks for Rotisserie Mod. P7-5		€ 85,02 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
CB09CC0006	Rotisserie timer 120 minutes timer installation		€ 147,86 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
CB14080018	Rotisserie spit Spit for Chicken with Devil for Rotisserie Mod. P7-5		€ 148,10 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
CB14080202	Spit for thighs with diavola for rotisserie Mod. P7-5 Schidione for legs in the Diavola		€ 149,33 VAT escluded Shipping to be calculed
CB14080017	Schidione for Roast Roast SchidioneRoast Schidione for Rotisserie Mod. P7-5		€ 153,76 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
CB09CC0009 Termometro analogico 0-350°C	Rotisserie thermometer Assembly of analog thermometer 0-350 ° C		€ 177,71 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
	Special spit for rotisseries Special lock with closed basket for Rotisserie Mod. P7-5		€ 193,77 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
	Special spit for rotisserie Special lock with closed basket for potatoes for Rotisserie Mod. P7-5		€ 249,75 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
CB 14100308	Tripod disassembled. in stainless steel with wheels and intermediate shelf for model P7-5 (20P) Removable stainless steel stand with wheels and intermediate shelf for mod. 20P, weight 28 kg, dimensions 1008x660x905h mm		€ 756,53 VAT escluded Shipping to be calculed Delivery

CB14100448



Countertop hood with stainless steel filters

Countertop hood with stainless labyrinth filters (without motor) with canopy diameter 200 mm, weight 30 kg, dimensions 1008x860x400h mm

€ 1.963,19

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days

CB14100129



Hot ventilated showcase with wheels

Hot ventilated showcase with wheels, temperature from 0 to 90 $^{\circ}$ C, V.230 / 1. 2.2 kw, weight 70 kg, dimensions 1008x660x955h mm

€ 2.365,15

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days