



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
BS-G7F6P+FG	GAS COOKER 6 BURNERS on GN 2/1 GAS OVEN, BERTOS, MACROS 700 line, MAX POWER series, total heat output. Kw 49.8, Weight 126 Kg, dim.mm.1200x700x900h	€ 2.872,02 <i>VAT excluded</i> Shipping to be calculated Delivery
PROFESSIONAL DESCRIPTION		

GAS COOKER 6 BURNERS on GN 2/1 GAS OVEN, MACROS 700 line, MAX POWER series :

- **worktop and front panels in AISI 304 stainless steel ;**
- high power single and double crown **burners guaranteed for life entirely in nickel-plated cast iron** operated by a valved tap with **safety thermocouple** and **pilot light** ;
- **cast iron grills ;**
- removable trays for maximum hygiene and easy maintenance;
- **burners entirely in cast iron 110 mm** , with regulation up to 7 kW;
- **open fire power n°x kW : 6 x 7 kW ;**
- **static gas oven equipped with pilot flame entirely made of stainless steel** , with **4-level supports for grids and GN 2/1 trays** (530x650 mm);
- **oven burner with self-stabilised flame** and **thermostat adjustable from 160 to 280 °C** ;
- molded door front without gasket for greater insulation and cleaning;
- door and inner door pressed in AISI 304 stainless steel;
- high-resistance door handle in 20/10 thick AISI 304 steel;
- adjustable feet;
- **2 year warranty .**

Supplied :



- Piezoelectric oven ignition
- 1 anti-tipping oven rack





Accessories/Options:


- compartment door

CE mark**Made in Italy****TECHNICAL CARD**

Thermal input (Kw)	49,8
net weight (Kg)	126
gross weight (Kg)	141
breadth (mm)	1200
depth (mm)	700
height (mm)	900



		MAX POWER
	n.	6
	Ø mm	110
	kW	7
	kcal/h	6.020
	Btu/h	23.884
	GN	2/1
	mm	530 x 650 x 4 pos.
	kW	7,8
	kcal/h	6.708
	Btu/h	26.614
TOT.		
	kW	49,8
	kcal/h	42.828
TOT.	Btu/h	169.918
	G30/G31	3,93
	G20	5,27
	G25	6,13



Macros 700

MAX POWER



7 kW