



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
BS-G7T4P4FM	COMBINED KITCHEN with GAS HOB and 4 BURNERS on OPEN CABINET, BERTOS, MACROS 700 Line, HIGH POWER Series, thermal power 28.00 kW, weight 110 Kg, dim.mm.1200x700x900h	

PROFESSIONAL DESCRIPTION

COMBINED KITCHEN with GAS HOB and 4 BURNERS on OPEN CABINET, MACROS 700 Line , HIGH POWER Series :

- **worktop and front and side panels in AISI 304 stainless steel ;**
- **solid plate in high thickness steel** with characteristics of **high resistance** and **heat distribution in differentiated thermal zones** : maximum temperature in the center and decreasing towards the edges;
- **7 kW central burner with optimized combustion** , operated by a valved tap with safety thermocouple and protected pilot light;
- **piezoelectric ignition** with silicone protection;
- **open fire burners entirely in nickel-plated cast iron with single and double crown, high power** equipped with pilot flame and guaranteed for life, operated by a valved tap with safety thermocouple and protected pilot light;
- **open fire power n°x kW : 2 x 3.5 kW + 2 x 7 kW ;**
- **cast iron grills ;**
- maximum cleaning and maintenance guaranteed by the complete removability of both the burner body and the burner trays;
- adjustable feet;
- **2 year warranty .**

Accessories/Options :

- doors per compartment

CE mark

Made in Italy





TECHNICAL CARD


Thermal input (Kw)	28,00
net weight (Kg)	110
gross weight (Kg)	125
breadth (mm)	1200
depth (mm)	700
height (mm)	900



macros 700


highpower

	n.	2	2	TP
	Ø mm	80	110	70
	kW	3.5	7	7
	kcal/h	3.010	6.020	6.020
	Btu/h	11.942	23.884	23.884
	kW	28		
	kcal/h	24.080		
	Btu/h	95.536		
	TOT.			
	G30/G31	kg/h	2,21	
	G20	m³/h	2,96	
	G25	m³/h	3,45	



macros 700

highpower




Macros 700

HIGH POWER



3,5 kW



7 kW