



#### PROFESSIONAL DESCRIPTION

**REFRIGERATED WINE CELLAR, Multi-Temperature, Static Refrigeration, capacity 195 Bordeaux bottles, Class A :**

##### Personalization

- **the wine cooler, with a black structure, can be configured with multiple combinations of frame colors by choosing the preferred combination among those available and four door frames** (silver, black, light and dark).

##### Interior fittings

- **Please note: The interior needs to be configured, THERE ARE NO STANDARD shelves or grids** , they are available for supporting bottles.
- **The wine cellar can be customized with different internal layouts** , to be ordered separately ( **Optional** ) :
  - **ELEGANT black metal SHELVES** that allow you to stack the bottles in order to reach the maximum values in terms of capacity.
  - **PULL-OUT DRAWERS slide on guides** that offer **maximum fluidity** and a **cushioned end stop** . Specific drawer brackets are required to ensure this level of performance and reliability. **The wooden front of the drawer is coordinated with the color of the external frame of the structure** and has a seat designed for labeling the bottles.

##### Energy saving

- **maximum reduction of dispersion from inside to outside and vice versa** ;
- first wine cellar to comply with the new EU legislation
- **exceptional insulation with considerable savings in operating consumption** (60% savings compared to the previous lines)

##### Maximum silence

- **4 operating modes** : **Normal** , **Booster** (up to -2° with respect to the set setting), **Silence** (- 4 db) and **Economy** (preservation of the temperature up to 12 hours of stand-by out of service)

##### ethical commitment

- For the shell, recycled and **recyclable plastic materials are used** , for the **insulating materials low-impact polyurethane foams** , made with CFC-free blowing agents. The refrigerant used is R290 (propane), a "naturally" green refrigerant gas.

##### Design

- New smart, young and modern design.

##### Space conquest

- **Flexibility and functionality of the exhibition spaces**

##### Custom temperatures

- Always precise, constant and adjustable.

##### Static refrigeration version ( multi-temperature )

- **Thanks to the skilful management of cold air flows, by modulating the natural stratification of temperatures, the**

compartment is divided into several sectors at different temperature levels .

Digital temperature control

- **Adjustable temperature from +2° to 10°C or from +12° to +20°C**

Door with double glazing and lock

- **Double glazing made from double glazing and a large 14mm thick internal chamber .**
- **External and internal glass both TEMPERED .**
- **Internal glass made with the innovative magnetron system** (very thin layer of metal oxide) to improve thermal insulation.
- **Internal glass made with low emissivity** (insulating treatment) to improve thermal insulation and to avoid the formation of humidity.
- Thermal insulation of the internal glass with extremely low Ug thermal transmittance value.
- Channel on the chamber made with enhanced performance to favor thermal break.

**Technical data :**

- Capacity (in Bordeaux): **195 bottles ( without internal accessories )**
- Capacity lt.406
- Energy class A
- Multi-Temperature: +2°/+10°C (SET +2) ~ +12°/+20°C (SET +12)
- Internal lighting with 2 light points positioned on the ceiling
- Type Gas R290: is a natural, highly efficient refrigerant fluid (up to 15% more efficient than R134a), designed for high performance and long life, has an Ozone depletion potential equal to ZERO and a low GWP value (3 GWP ).
- Control panel: Multi touch display
- Static refrigeration
- Environmental Operating Conditions: ambient temperature 30°c - 55% RH (Clim. Class 4)
- Emission Level: 38 db (A)

**Variants :**

1. **Structure color** : Black
2. **Frame Color** : Black, Silver, Dark Wood, Light Wood

**Accessories/Options :**

- Shelf complete with 4 spacers, max capacity 65 Bordeaux bottles
- Removable drawer

**CE mark**

**Made in Italy**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,22
<b>net weight (Kg)</b>	125
<b>gross weight (Kg)</b>	140
<b>breadth (mm)</b>	820
<b>depth (mm)</b>	756
<b>height (mm)</b>	1620

**AVAILABLE MODELS**

**EF-H1600/SNN**



**ENOFRIGO - Refrigerated Wine Cellar, Black Structure and Black Frame, Mod.H1600 / SNN**  
REFRIGERATED WINE CELLAR, 1 glass door, black structure and black frame, 195 bottles capacity, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting, V. 230/1, Kw.0,22, dim.mm.820x756x1620h

**€ 2.577,41**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days

**EF-H1600/SNS**



**ENOFRIGO - Refrigerated Wine Cellar, Black Structure and Dark Wood Frame, Mod.H1600 / SNS**  
REFRIGERATED WINE CELLAR, 1 glass door, black structure and dark wood frame, cap. 195 bottles, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting, V.230 / 1, Kw.0,22, dim.mm.820x756x1620h

**€ 2.577,41**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days

**EF-H1600/SNA**

**ENOFRIGO - Refrigerated Wine Cellar, Black Structure and Silver Frame, Mod.H1600 / SNA**  
 REFRIGERATED WINE CELLAR, 1 glass door, black structure and silver frame, 195 bottles capacity, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting, V. 230/1, Kw.0,22, dim.mm.820x756x1620h

**€ 2.577,41**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days**EF-H1600/SNC**

**ENOFRIGO - Refrigerated Wine Cellar, Black Structure and Light Wood Frame, Mod.H1600 / SNC**

REFRIGERATED WINE CELLAR, 1 glass door, black structure and light wood frame, capacity 195 bottles, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting , V.230 / 1, Kw.0,22, dim.mm.820x756x1620h

**€ 2.577,41**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days**TECHNICAL CARD****CODE/PICTURES****EF-RPN**

**TECHNOCHEF - Shelf complete with 4 spacers, Mod.EF-RPN**


Shelf complete with 4 spacers, max 65 bottles bordeaux capacity, dim.mm.691x515x35h

**€ 41,29**

*VAT excluded*  
**Shipping to be calculated**



**Delivery** from 4 to 9 days

Dimensioni - Dimensions

**Mod. H1600**



## Colori e Composizioni - Colours and Combinations



### Versione a refrigerazione statica (multi-temperatura)

Grazie alla sapiente gestione dei flussi di aria fredda, modulando la stratificazione naturale delle temperature, si ottiene una suddivisione del vano in più settori a differenti livelli di temperatura.



## Esempi di allestimento

Mod. H1600

