



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>SL-CGL450S</b>	Freezer-Freezer Showcase for 1 door ice cream parlor, temperature -15 ° / -25 ° C, static refrigeration, Curve Line, with 4 display sides, 6 rectangular shelves 560x440 mm, capacity 427 lt, V.230 / 1, Kw.0 , 7, Weight 165 Kg, dim.mm.720x620x1860h	

**PROFESSIONAL DESCRIPTION**

**FREEZING SHOWCASE for ICE CREAM 1 Door, CURVE Line, 4 display sides and 6 rectangular shelves, Static Refrigeration, temperature -15 ° / -25 ° C :**

- **external structure** in **silver anodized aluminum** ;
- **showcase built using insulating double glazing** , compliant with the EN UNI 1279 standard;
- **exposure on 4 sides** ;
- **6 FIXED rectangular shelves of 560x440 mm** ;
- **capacity** **lt** . 427;
- **operating temperature** **-15 ° / -25 ° C** ;
- **"sensitive touch" control panel** with a unique and exclusive design, the result of a long study of computer science and design;
- **static refrigeration with 6 GRILLED SHELVES FIXED evaporators** ;
- manual defrost;
- **LED lighting as standard** on both sides of the internal compartment, ensuring uniform and low-consumption lighting;
- Led lighting (N ° x Lm): 2 x 1200;
- **compressor** and **touch screen thermostat** are of the latest generation, guaranteeing high efficiency and low absorption, with considerable advantages for the operating economy;
- **accuracy** , **solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, able to satisfy all types of use, where robustness and reliability come together in the sign of tradition.

**Accessories / Optional:**

- lock with key
- support kit for glass and grids
- suction cups kit
- adjustable feet kit
- mirror glass
- additional led
- wooden crate packaging
- finishes and colors: RAL of your choice

**CE mark**  
**Made in Italy**

TECHNICAL CARD		
	<b>power supply</b>	Monofase
	<b>Volts</b>	V 230/1
	<b>frequency (Hz)</b>	50
	<b>motor power capacity (Kw)</b>	0,7
	<b>net weight (Kg)</b>	165
	<b>gross weight (Kg)</b>	181
	<b>breadth (mm)</b>	720
	<b>depth (mm)</b>	620
	<b>height (mm)</b>	1860

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>SL-KV</b> ◻	<b>Suction Cups Kit</b> Suction cups kit (N.4)	
<b>SL-KSVG</b> ◻	<b>Support kit for glass and grids</b> Support kit for glass and grilles (N.4)	
<b>SL-KP25/80</b> ◻	<b>Adjustable Feet Kit</b> Adjustable feet kit	
<b>SL-RPV45/90/130</b> ◻	<b>Glass shelf</b> Glass shelf (N.1)	
<b>SL-LED</b> ◻	<b>Additional Led</b> Additional led	
<b>SL-CC25/80</b> ◻	<b>Key closure</b> Lock with key	
<b>SL-VSP35/45</b> ◻	<b>Mirror glass</b> Mirror glass (N.1)	
<b>SL-IMLEG45/60</b> ◻	<b>Wooden case packing</b> Wooden crate packaging	

## SL-RAL



### Finish and Colors

Ral of your choice



## Curve

### CGL 450 S

#### CARATTERISTICHE GENERALI

- 15°-25° C
- 40% Umidità
- 2 x 1200 lm
- Sbrinatorio Manuale
- Refrigerazione Statica T° Negativa
- 230 V - 50



Layout    Volume lt    Ripiani    Dimensioni mm - kg    Compressore



427

6 (560 x 440)


720x 620 x 1860 - 165

700 Watt

Ripiano statico



450 S



#### VISTA LATERALE

Side view / Seitenansicht / Vue latérale