



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
SL-CPG520V/S	Combined display case for ice cream/pastry shop 2 doors, temp. -15°-25°C/+4°+10°C, Curve Line, 4 display sides, 3 grided shelves + 3 glass shelves, ventilated/static refrigeration, capacity liters .230+260, V.230/1, Kw.0.37+0.42, dim.mm.810x620x1925h	

PROFESSIONAL DESCRIPTION

COMBINED DISPLAY CABINET for ICE CREAM/PASTRY SHOP, CURVE Line, with 4 display sides and 3 grilled shelves + 3 glass shelves, VENTILATED/STATIC refrigeration, temperature -15°-25°C/+4°+10°C :

- **external structure in silver anodized aluminium ;**
- showcase built using **insulating double glazing** , compliant with EN UNI 1279;
- **exposure on 4 sides ;**
- **3 GRILLED SHELVES** measuring 665x420 mm + **3 GLASS SHELVES** measuring 670x460 mm ;
- **capacity 230+260 litres ;**
- **operating temperature -15°-25°C/+4°+10°C ;**
- 2 “ **sensitive touch** ” **control panels** with a unique and exclusive design, the result of a long IT and design study;
- **ventilated/static refrigeration ;**
- automatic/manual defrost;
- **LED lighting as standard** on both sides of the internal compartment, ensuring uniform and low-consumption lighting;
- lumen/meter: 4 x 1200 lm;
- humidity: 40% - 75%;
- **compressors** and the **touch screen thermostat are of the latest generation**, guaranteeing **high efficiency** and **low absorption** , with notable advantages for operating economy;
- **accuracy** , **solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition;
- thanks to these refrigerated display cases for pastry and ice cream shops you will be able to combine solidity and display elegance with the reliability of a made in Italy product.

Accessories/Options :

- locking with key
- glass shelf
- support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- mirror glass
- additional LED
- wooden crate packaging
- finishes and colours: RAL of your choice

CE mark
Made in Italy

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,79
net weight (Kg)	224
gross weight (Kg)	235
breadth (mm)	810
depth (mm)	620
height (mm)	1925

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
SL-KV ◻	Suction Cups Kit Suction cups kit (N.4)	
SL-KSVG ◻	Support kit for glass and grids Support kit for glass and grilles (N.4)	
SL-KP25/80 ◻	Adjustable Feet Kit Adjustable feet kit	
SL-LED ◻	Additional Led Additional led	
SL-CC70/90/12 ◻	Key closure Lock with key	
SL-VSP52/80 ◻	Mirror glass Mirror glass (N.1)	
SL-IMLEG52/80 ◻	Wooden case packing Wooden crate packaging	

SL-RAL



Finish and Colors
Ral of your choice



Curve

CPG 520 V/S



-15°-25° C
+4°+10° C



40% - 75%
Umidità



4 x 1200



AUTO

Sbrinamento manuale e
Sbrinamento automatico



T+

Refrigerazione ventilata e
Refrigerazione Statica T° Positiva



230 V - 50



LAYOUT



VOLUME lt

230+260

RIPIANI


3 (665 x 420) 3 (670 x 460)

DIMENSIONI mm - kg


810 x 620 x 1925 - 224

COMPRESSORE

370 + 420 Watt



520 V/S



VISTA LATERALE
Side view / Seitenansicht / Vue latérale