

TECNOSERVICE'21 srl by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413

Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



DISHWASHER-GLASSWASHER with SQUARE RACK mm. 500x500, yield max n°40 baskets/hour, DIGITAL CONTROLS:

• Body made entirely of AISI 304 steel ;

- Digital electronic controls with display,
- 4 wash cycles of 90/120/150/180 seconds ,
- Max useful height: plates 350 mm ,
- Useful passage for glasses max 320 mm high ,
- Stainless steel LOWER and UPPER washing impeller diameter 18 mm. with forged helical jets,
- Stainless steel LOWER and UPPER rinse impellers with adjustable rotation speed ,
- Electric washing detergent dispenser programmable from the display,
- Electric rinse aid dispenser programmable from the display,
- Stainless steel washing detergent injector welded on the tank,
- Filter group in the tank for suction and discharge,
- Electrical predisposition for drain pump ,
- Control system via electronic card with simple and extremely efficient Dip-Switch,
- $\circ~$ Setting and controlling the wash and rinse temperatures ,
- Adjustable Thermostop function that guarantees better results,
- Display showing temperatures and selected wash cycle ,
- Smart Start Button ,
- Self-diagnosis system,
- The electronic control allows you to manage various parameters to give you a great level of customization according to your needs while the self-diagnosis allows you to reduce machine stops to a minimum by already suggesting some simple operations to perform to resolve the situation.
- Notice of Scheduled Maintenance,
- Automatic additional rinse cycle,
- 1 Automatic drain cycle (with drain pump installed),
- Adjustable drain and rinse times,
- Temperature reading through precise NTC probes,
- Wash and rinse impellers in stainless steel ,
- Double detergent and rinse aid dispenser installed as standard ,
- Tank capacity It.24 ,
- Tank resistance Kw.2,6,
- Boiler capacity lt.7,3,
- Boiler resistance Kw.2,5,
- Washing pump of Kw 0.52 (0.7 Hp),
- Recommended water hardness 7÷10 °f,
- Water consumption per cycle at 2 bar: 2.0 litres.

Supplied:

- 1 basket for glasses dim.mm.500x500x100h.
- 1 basket of 18 plates dim.mm.500x500x100.
- 2 cutlery containers.

Accessories/Options:

- 17516 0.5 Hp pressure pump installed
- 21116 32W installed drain pump.
- 23138 0.5 Hp pressure pump kit.
- 22440 32W drain pump.
- 18698 Kit of 4 stainless steel adjustable feet 50-70 mm.
- 19584 Open base support for dishwasher on adjustable feet, dim. mm. 580x565x450h + Feet H120-190 mm
- 23140 Swing door for dishwasher base support Mod.SPI40
- V230-3 Optional 230V/3+T

CE mark Made in Italv

TECHNIC	AL CARD
power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	3,12
gross weight (Kg)	69

	depth (mm) 610	
	height (mm) 815	
	TECHNICAL CARD	
CODE/PICTURES	DESCRIPTION	PRICE/DELIVER
TECHNOCHEF.IT	TECHNOCHEF - Kit 4 adjustable stainless steel feet Kit 4 stainless steel adjustable feet 50-70 mm	€ 31,27 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
TCF322-002604	TECHNOCHEF - 32W drain pump kit 32 W drain pump kit for glass-fronted and dishwasher front loading, post-sale installation	€ 126,15 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
TCF322-002602	TECHNOCHEF - Drain pump installed 32W 32 W installed drain pump for glass-fronted and under- the-counter dishwashers	€ 146,75 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
TCF322-002606	TECHNOCHEF - Swing door for dishwashing base support Swing door for dishwashing base support	€ 146,75 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
TCF322-002603	TECHNOCHEF - Pressure pump kit 0,5 Hp 0.5 Hp rinsing pressure pump kit, after-sales installation, suitable for glass washers, undercounter dishwashers and canopy	€ 166,82 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
TCF322-002601	TECHNOCHEF - Pressure pump installed 0.5 HP Rinsing pressure pump installed 0.5 Hp, suitable for glass washers, undercounter dishwashers and canopies	€ 188,45 VAT escluded Shipping to be calculed Delivery from 4 to 9 days
TCF322-002614		€ 185,87 VAT escluded



TECHNOCHEF - Basic dishwasher support Base day support for dishwasher, dim.mm.580x565x450h + Feet H120-190 mm.



Delivery from 4 to 9 days

