



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>FO-G-GE800BT</b>	Freezer-Freezer Cabinet for ICE CREAM, 1 Door 737 lt, Professional for 54 TRAYS of 5 lt, Temp.-10°/-22°C, Ventilated, ECOLOGICAL in Class D, Gas R290, V.230/1, Kw. 0.7, weight 162 kg, dim.mm.740x990x2010h	<b>€ 1.340,77</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days
PROFESSIONAL DESCRIPTION		

**FREEZER-FREEZER CABINET for PASTRY/ICE CREAM 1 Door, 737 lt, Temp. -10°/-22°C, ECOLOGICAL in Class D - for 57 5 lt trays (330x165x120 mm),**

- **Refrigerated cabinet for pastry laboratories in AISI 30 4 stainless steel ;**
- External bottom and back panels in galvanized sheet metal;
- Bottom with rounded corners;
- **Possibility of containing 54 5 liter trays measuring 330x165x120h mm (6 per shelf);**
- suitable for containing **600x400 and 600x800 mm pastry trays ;**
- Capacity 737 litres;
- **Ventilated refrigeration ;**
- Incorporated group;
- **Engine compartment with insulated sides ;**
- Insulation thickness 60 mm;
- Evaporator positioned hidden in order to have maximum available space;
- Operating temperature -10°/-22°C;
- **Electronic temperature control with digital thermostat ;**
- **ECOLOGICAL** Refrigerating Group with **R290 Gas ;**
- **Energy efficiency class D ;**
- Climate class 4;
- Annual energy consumption 3149 kWh/annum;
- **Automatic defrost with electric resistance and automatic control of the defrost temperature ;**
- **Automatic evaporation of condensation water ;**
- **Electrical resistance around the door frame** to eliminate condensation;
- Anti-corrosion treated evaporator;
- Max ambient temperature / humidity: +32 °C / 55%HR;
- Door with return spring and reversible;
- **Door locking with key ;**
- Door seal removable without tools;
- **Interior light ;**
- **Height-adjustable feet in Aisi 304 stainless steel ;**
- **Internal dimensions** 624x846x1396h mm.

**Supplied :**

- n.10 pairs of guides
- n.10 grids

**CE mark**

**Made in ASIA**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,7
<b>net weight (Kg)</b>	162
<b>gross weight (Kg)</b>	188
<b>breadth (mm)</b>	740
<b>depth (mm)</b>	990
<b>height (mm)</b>	2010

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>FO-GRP68</b> 	<b>Technochef - Plastified grill mm 800x600</b> 800x600 mm plastic coated grid	<b>€ 13,40</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days

