



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,52
<b>net weight (Kg)</b>	45
<b>gross weight (Kg)</b>	56
<b>breadth (mm)</b>	658
<b>depth (mm)</b>	630
<b>height (mm)</b>	420

#### PROFESSIONAL DESCRIPTION

**SUPER POWERFUL and SUPER COMPACT BLAST CHILLER with GUIDES for 3 GRIDS/TRAYS Gastro-Norm 2/3 (mm.354x325), TECNODOM brand :**

- **Stainless steel interior and exterior** , except for the external bottom in galvanized steel;
- Rounded internal corners;
- CFC-free polyurethane insulation, injected at high pressure;
- Removable top shelf, self-closing door and magnetic seal;
- **Front panel with electronic control board with chamber probe and core probe ;**
- **Ventilated refrigeration** with air agitator;
- Easily removable and tropicalized refrigeration unit as standard (ambient temperature +43°C and relative humidity of 65%);
- **Timed evaporator defrosting** , at the end of the cycle, and lower tray for containing condensation water;
- **Cycles can be set with core probe +3°C and -18°C** , or by time;
- The power is guaranteed by a unit capable of bringing **the chamber to a temperature of -40°C in a few minutes ;**
- Guides suitable for holding **3 standard GN 2/3 grids or trays** (354x325mm);
- **Pitch between guides 80 mm ;**
- **Chamber dimensions mm 340x363x270h ;**
- Yield: **positive cycle +70°+3°C -- 9 kg** ,
- Yield: **negative cycle +70°- 40°C -- 7 kg** ;
- **Digital control panel** allows you to set various parameters to meet any need;
- **Insulation thickness 60 mm ;**

- Thanks to its small size, it can also be placed on a workbench or refrigerator;
- **Height-adjustable stainless steel feet** (60/90 H mm).

**NB: Trays and Grills NOT INCLUDED**

**Included :**


- Room probe
- Pin probe
- 3 pairs of guides

**Accessories/Optionals :**

- Aluminum tray GN 2/3 (mm 354x325)

**CE MARK  
MADE IN ITALY**

CODE	DESCRIPTION	PRICE/DELIVERY
<b>TD-ATT02-ATTILA</b>	TECNODOM - Blast chiller for 3 GN 2/3 TRAYS, V. 230/1, kw 0.652 - dim.mm.658x630x420h	<del>€ 1.258,88</del> <b>VAT excluded</b> <b>€ 1.044,87</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>TD-VXAB000001</b> 	<b>GN 2/3 ALUMINUM TRAY</b>	<b>€ 33,11</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days



