

TECNOSERVICE'21 srl by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



## ELECTRIC CONVECTION OVEN, NERONE EKO DIGITAL line, version with DIGITAL CONTROLS , capacity 4 TRAYS 435x350 mm :

- Made with Stainless Steel : internal chamber and racks, covers and visible components, fan and fan casing;
- Stainless steel cooking chamber with rounded corners, dim.mm 464x420x370h ;
- Capacity 4 trays or grids of 435x350 mm or 433x322 mm (not included), 84 mm pitch;
- Tempered glass with low emissivity inside ;
- Handle with safety opening system ;
- Interlocking gasket fixing system;
- Cold door with double glass , removable to maximize cleaning operations;
- · Door easily removable for maintenance;
- Door opening with fans deactivated ;
- Folding door (standard);
- High resistance zips ;
- Digital control panel ;
- Dual display ;
- Easy to use;
- Recipe memory ;
- Reliable and well protected;
- Quick and precise;
- Possibility to set cooking chamber temperature and cooking times;
- Robust and easy to maintain;
- $\circ~$  Reliable according to IPX3 protection standards
- Feet with anti-slip.

## CE MARK MADE IN ITALY

TECHNI	CAL CARD	
power supply	Monofase	
Volts	V 230/1	
frequency (Hz)	50	
motor power capacity (Kw) 3,15		
net weight (Kg) 33		
gross weight (Kg) 39		
breadth (mm) 589		
depth (mm)	660	
height (mm)	580	
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
	€ 23,00 <i>VAT escluded</i> Shipping to be calculed Delivery from 4 to 9 days Chromed grill for Nerone Oven Mod. 595 Chromed grille, 435x350 mm	
TD-KITPIETRANE595 Refractory stone Refractory stone pl	<b>plate for Nerone Mod.595 oven</b> ate, dim.mm.435x350x15h	€ 180,24 VAT escluded Shipping to be calculed Delivery from 4 to 9 days



Support for Oven Nero Mod.595 Base support with 8 pairs of guides for 435x350 mm grids and 433x322 mm trays, dim.mm.590x610x850h



Delivery from 4 to 9 days





Realizzato con Acciaio Inox



