



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

ISOTHERMAL TRAY for TRANSPORTING SINGLE MEAL at DIFFERENTIATED TEMPERATURE, prepared for MELANINE DISHES :

- **Equipped with four seats for housing melamine plates** and a **seat dedicated to housing complements to the meal** (cutlery, drinks, bread, fruit, etc.);
- **It allows to carry four courses at different temperatures** (hot and fresh), thanks to the reduced heat exchange between the tray seats;
- **EURONORM dimensions** , compatible with any standard transport trolley;
- **Ensures correct thermal maintenance** , limiting the risks of bacterial proliferation and preserving the quality of food and their organoleptic properties;
- **High thermal insulation coefficient** , it can keep hot or cold food already portioned in optimal conditions for up to 30 minutes;
- **Practical to use** : the base can serve as a support for the consumption of the meal;
- Manufacturing material: **Polypropylene** internal and external walls of the base and lid; suitable for contact - **Polyurethane** insulating material between the walls of the base and the lid; free of food CFCs and HCFCs;
- Monobloc structure, without edges, joints and welds;
- **Perfectly overlapping base and lid** guarantee excellent thermal resistance;
- **Easily stackable** , to optimize the storage surface;
- Convenient to prepare, both on conveyor and on fixed shelf;
- The isothermal characteristics meet the criteria of current legislation (Reg. EC 852/2004 -HACCP-) and applicable technical standards (Accord AFNOR AC D40-007);
- Can be set up both on the preparation belt and on a fixed shelf;
- **Manufactured with blow molding technology** : monobloc base and lid (without edges, joints and welds);
- **Easy washing and sanitizing even in an industrial dishwasher** .
- Fully recyclable at the end of its operational life;
- Make sure that the food is portioned at the correct temperature (75/85 ° C);
- **Available in 3 colors : Blue, Green, Orange** .

Accessories / Optionals :

- Stainless steel locking kit (2x)
- Interlocking card holder in stainless steel
- Tray-holder trolleys with 12 and 24 places in stainless steel, for easy handling.
- Melamine plate, 210 mm diameter
- Insert lid, 210 mm diameter
- Bolus, diameter 150 mm
- Sealed lid, diameter 150 mm
- Bolus, diameter 130 mm
- Sealed lid, diameter 130 mm
- Bolus, diameter 105 mm

CE MARK

TECHNICAL CARD

net weight (Kg)	3,00
breadth (mm)	530
depth (mm)	370
height (mm)	105

AVAILABLE MODELS

MM-TS540104



Isothermal tray for dishes in melamine, differentiated temperature, Blue color

Isothermal tray for transporting single meals at different temperatures, 4 compartments for housing plates in melamin, blue color, weight 3 Kg, dim.mm.530x370x105h

€ 109,78

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days

MM-TS540101



Isothermal tray for dishes in melamine, differentiated temperature, Orange color

Isothermal tray for transporting a single meal at differentiated temperatures, 4 compartments for housing plates in melamin, orange color, weight 3 Kg, dim.mm.530x370x105h

€ 109,78

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days

MM-TS540105



Isothermal tray for dishes in melamine, differentiated temperature, Green color
 Isothermal tray for transporting a single meal at differentiated temperatures, 4 compartments for housing plates in melamin, green color, weight 3 Kg, dim.mm.530x370x105h

€ 109,78

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days**TECHNICAL CARD**

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

MM-ADB042**Lid with sealing Ø 130 mm**

Sealed lid, red color, diameter 130 mm (for bolus Ø 130 mm) - UNIT PRICE - Available in PACKAGES of 24 pieces

€ 0,70

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days**MM-ADB043****Sealed lid Ø 150 mm**

Sealed lid, red color, diameter 150 mm (for bolus Ø 150 mm) - UNIT PRICE - Available in PACKAGES of 24 pieces

€ 1,21

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days**MM-5650****Deep Plate in Melamine Ø 210 mm**

Deep plate in melamine, white color, diameter 120 mm - UNIT PRICE - Available in PACKAGES of 24 pieces

€ 4,87

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days**MM-5652****Melamine bolus Ø 130 mm**

Melamine bolus, white color, diameter 130 mm - UNIT PRICE - Available in PACKS of 24 pieces

€ 4,59

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days**MM-5653****Melamine bowl Ø 150 mm**

Melamine bowl, white colour, diameter 150 mm - UNIT PRICE - Purchasable in PACK of 24 pieces

€ 5,68

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days**MM-5651****Melamine bolus Ø 105 mm**

Melamine bolus, white color, diameter 105 mm - UNIT PRICE - Available in PACKAGES of 24

€ 3,11

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days**MM-AMA301****Interlocking card holder**

Stainless steel interlocking card holder, to identify the destination of the tray.

€ 7,76

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

MM-ANA003



Stainless steel locking kit
Closing kit in stainless steel.

€ 18,83

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

MM-3748A



12 places stainless steel trolley

Stainless steel trolley for the transport of 12 isothermal trays mod.TS50 and TS60, weight 20 kg, dim.mm.480x610x1800h

€ 711,17

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

MM-3751A



24 places stainless steel trolley

Stainless steel trolley for the transport of 24 isothermal trays mod.TS50 and TS60, weight 32 kg, dim.mm.870x610x1800h

€ 976,27

VAT excluded
Shipping to be calculated


Delivery from 4 to 9 days











Dotato di:

- 1 sede (A) per piatti/boli di diam. 210/185mm
- 1 sede (B) per piatti/boli di diam. 185/150mm
- 1 sede (C) per piatti/boli di diam. 130mm
- 1 sede (D) per coppetta di diam. 105mm
- 1 sede (E) per complementi al pasto

