



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973





CODE	DESCRIPTION	PRICE/DELIVERY
<b>TD-FEMG04NEGNV</b>	Electric CONVECTION OVEN with GRILL, capacity 4 GN 1/1 TRAYS (excluded), MANUAL CONTROLS, version with FLAP DOOR, V.230/1, Kw.3.15+1.7, Weight 35 Kg, dim.mm. 686x660x580h	<b>€ 476,02</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days
PROFESSIONAL DESCRIPTION		

**ELECTRIC CONVECTION OVEN Ventilated with GRILL, NERONE EKO MECHANICAL line, version with MANUAL CONTROLS , capacity 4 GN 1/1 TRAYS (530x325 mm), version with FLAP DOOR:**

- **Made with Stainless Steel** : internal chamber and racks, covers and visible components, fan and fan casing;
- **Stainless steel cooking chamber** with rounded corners, **dim.mm 560x420x370h** ;
- **Capacity 4 GN 1/1 trays or grills** (not included), 84 mm pitch;
- **Tempered glass with low emissivity inside** ;
- **Handle with safety opening system** ;
- Interlocking gasket fixing system;
- Double motor and double fan;
- Global diffusion internal ventilation system;
- **Cold door with double glass** , removable to maximize cleaning operations;
- Door easily removable for maintenance;
- **Door opening with fans deactivated** ;
- Folding door (standard);
- **High resistance zips** ;
- **Mechanical control panel** ;
- Quick and precise;
- **LED warning lights** ;
- **Internal lighting** ;
- **Possibility to set cooking chamber temperature and cooking times**;
- Robust and easy to maintain;
- Reliable according to IPX3 protection standards
- Feet with anti-slip;
- Total electrical power: 3.15 kW / 1.7 kW Grill.

**CE MARK**  
**MADE IN ITALY**

TECHNICAL CARD		
	power supply	Monofase
	Volts	V 230/1
	frequency (Hz)	50
	motor power capacity (Kw)	3,15
	net weight (Kg)	35
	gross weight (Kg)	43
	breadth (mm)	686
	depth (mm)	660
	height (mm)	580

TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<div><b>TD-FOGRGGN</b></div> <div></div>	<div><b>GN 1/1 chromed grill</b></div> <div>Gastro-Norm chromed grill 1/1 (mm 530x325)</div>	<div><b>€ 33,11</b></div> <div>VAT excluded</div> <div>Shipping to be calculated</div> <div>Delivery from 4 to 9 days</div>
<div><b>TD-BIGN1/1-65</b></div> <div></div>	<div><b>GN 1/1 stainless steel tray</b></div> <div>Gastro-Norm 1/1 stainless steel tray (mm 530x325x65h)</div>	<div><b>€ 57,37</b></div> <div>VAT excluded</div> <div>Shipping to be calculated</div> <div>Delivery from 4 to 9 days</div>

#### TD-KITPIETRANEGN



##### **GN 1/1 refractory stone plate**

Gastro-Norm 1/1 refractory stone plate (mm  
530x325x15)

**€ 208,95**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

#### TD-NEFON



##### **Support for Nerone GN oven**

Base support with 8 pairs of guides for Grids and GN 1/1  
Trays (530x325 mm), dim.mm.610x680x850h


**€ 309,49**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days



Realizzato con Acciaio Inox



Disponibile con porta a ribalta