



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>TD-FEMG03NEPSDX</b>	electric VENTILATED CONVENTION OVEN with GRILL, for PASTRY, capacity 3 TRAYS measuring 600x400 mm (not included), MANUAL CONTROLS, version with REVOLVING DOOR, V.230/1, Kw.3.15+1.7, Weight 35 Kg, dim .mm.775x700x560h	<b>€ 544,72</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days
PROFESSIONAL DESCRIPTION		

**VENTILATED ELECTRIC CONVECTION OVEN with GRILL, for PASTRY, NERONE EKO MECHANICAL line, MANUAL CONTROLS, capacity 3 600x400 mm trays, version with REVOLVING DOOR :**

- **Made with Stainless Steel** : internal chamber and racks, covers and visible components, fan and fan casing;
- **Stainless steel cooking chamber** with rounded corners, **dim.mm 650x460x350h** ;
- **Capacity 3 600x400 mm trays** (not included), 105 mm pitch;
- **Tempered glass with low emissivity inside** ;
- **Handle with safety opening system** ;
- Interlocking gasket fixing system;
- **double motor and double fan** ;
- **global diffusion internal ventilation system** ;
- **Cold door with double glass** , removable to maximize cleaning operations;
- Door easily removable for maintenance;
- **Door opening with fans deactivated** ;
- Flap door;
- **High resistance zips** ;
- **Mechanical control panel** ;
- Quick and precise;
- **LED warning lights**;
- **Internal lighting** ;
- **Possibility to set cooking chamber temperature and cooking times** ;
- Robust and easy to maintain;
- Reliable according to IPX3 protection standards
- Feet with anti-slip;
- Total electric power: 3.15 kW / 1.7 kW Grill.

**CE mark**  
**Made in Italy**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	3,15
<b>net weight (Kg)</b>	35
<b>gross weight (Kg)</b>	43
<b>breadth (mm)</b>	775
<b>depth (mm)</b>	700
<b>height (mm)</b>	560

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
---------------	-------------	----------------

**TD-FOGRGPS**



**Chrome Pastry Grid**  
Chromed grill for pastry (mm 600x400)

**€ 41,39**  
*VAT esclused*  
**Shipping to be calculated**  
**Delivery** from 4 to 9 days

**TD-FOTGLPAS**



**Aluminum Pastry Tray**  
Aluminum tray for pastry (mm 600x400)

**€ 53,28**  
*VAT esclused*  
**Shipping to be calculated**  
**Delivery** from 4 to 9 days

#### TD-KITPIETRANEPS



#### Refractory stone plate

Refractory stone plate, dim.mm.600x400x15

**€ 272,74**

*VAT excluded*

**Shipping to be calculated**

**Delivery** from 4 to 9 days

#### TD-NEF0P



#### Support for Nerone Oven Mod. 600 / P

Base support with 8 pairs of guides for 600x400 mm  
Grids and Trays, 770x660x850h

**€ 322,11**

*VAT excluded*

**Shipping to be calculated**

**Delivery** from 4 to 9 days



Realizzato con Acciaio Inox



Porta a bandiera