



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

Electric PIZZA OVEN Cuppone MICHELANGELO Line, 4 Pizzas x ø35 cm, Modular Sectional, Available with DIGITAL Controls or TOUCH SCREEN Controls:

- **Rounded** stainless steel **front** ;
 - **Cooking chamber in stainless steel** dim. mm 720x720x140;
 - **Cordierite brick** hob;
 - Evaporated rock wool insulation;
 - **Door with double panoramic glass** and opening and closing system with compression spring;
 - Heat sealing gasket between the door and the cooking chamber;
 - **Integrated heat recovery** system in the cooking chamber;
 - Cooking chamber lighting with two 12V lamps;
 - **Safety thermostat** and cooling fan;
 - Armored and differentiated electrical resistances on the ceiling and under the stalls;
 - **Electronically adjustable** cooking **steam vent** ;
 - **Separate command group** ;
 -
 - **Pizza capacity:** 4 x ø35 cm
 - Rooms: 1
 - Power: 5.8kW
 - **Temperature: 0-400°C**
 - Weight Kg: 140
- Cooking chamber dimensions** 720x720x140h mm
External dimensions 1190x1100x440h mm
- - All models **can be supplied with a stand** (with or without wheels and, with the exception of the 435 model, with or without a cut for inserting the mixer) **and an extraction hood** (with or without a 5-speed motor).

VERSION WITH **DIGITAL CONTROLS** / Mod: **ML435/1CD**

- Control system with **electronic card** ;
- possibility of **setting the chamber temperature and the power** of the **heating elements (top and bottom) in different ways** : “OFF” off, “MIN” 33% or “MAX” 100%;
- **end of cooking buzzer** ;
- **programmable oven ignition** with countdown **up to 99 hours** ;

VERSION WITH **TOUCH SCREEN CONTROLS** / Mod: **ML435/1TS**

- **Touch Screen control system** with the possibility of **setting the** chamber **temperature and** the **power** of the two groups **of resistances (top and bottom) in a differentiated manner** from 0% to 100%;
- **integrated PYROLYSIS, ECONOMY and FAST RECOVERY** functions;
- **cooking programming** ;
- **end of cooking buzzer** ;
- **weekly timer** + agenda ;

Options:

- **CP-KM435NT** - Hood Without Motor;
- **CP-KM435AS** - Hood with Motor;
- **CP-SML435/1** - Base support for 1 CAMERA;
- **CP-SML435/2** - Base support for 2 BEDROOMS;
- **CP-RS** - Wheel Kit for Base Support;

Made in Italy
CE MARK

TECHNICAL CARD	
power supply	Monofase
Volts	V 400/3 +N
frequency (Hz)	5060
motor power capacity (Kw)	5,8
net weight (Kg)	140

gross weight (Kg) 159

breadth (mm) 1190

depth (mm) 1100

height (mm) 440

AVAILABLE MODELS

CP-ML435/1CD



CUPPONE MICHELANGELO Electric Oven for 4 Pizzas, Ø 35 cm. Digital commands

Electric Pizza OVEN, for 4 Pizzas, modular modular with chamber mm 720x720x140h, Version with DIGITAL CONTROLS, MICHELANGELO Line, V. 380/3 + N, Kw 5,8, Weight 140 kg, dim. mm. 1190x1100x440h

€ 3.167,74

VAT excluded

Shipping to be calculated

Delivery from 8 to 15 days

CP-ML435/1TS



CUPPONE MICHELANGELO Electric Oven for 4 Pizzas, Ø 35 cm. Touch Screen Controls

Electric Pizza OVEN, for 4 Pizzas, modular modular with chamber mm 720x720x140h, Version with TOUCH SCREEN CONTROLS, MICHELANGELO Line, V. 380/3 + N, Kw 5,8, Weight 140 kg, dim. mm. 1190x1100x440h

€ 3.935,18

VAT excluded

Shipping to be calculated

Delivery from 8 to 15 days

TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

CP-RS



Wheels Kit for Base Support

Modular 4 wheels kit with pedestal for Cuppone professional pizza oven

€ 426,35

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days

CP-SML435/1



Steel Base Support for 1 Camera

Pedestal for Oven Cuppone Michelangelo, for 1 Chamber, Steel Structure, Low standard shelf, Optional Wheels, Weight 47 kg, Dim. Mm. 1180x950x1100h

€ 640,28

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days

CP-SML435/2



Steel Base Support for 2 Chambers

Pedestal for Oven Cuppone Michelangelo, for 2 Chambers, Steel Structure, Low standard shelf, Optional Wheels, Weight 42 kg, Dim. Mm. 1180x950x900h

€ 640,28

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days

CP-KML435NT



Hood without motor for Michelangelo oven

Neutral Hood for Michelangelo Oven, Stainless Steel, Without Motor, Weight 57 kg, dim. mm.1188x1200x410h

€ 1.206,52

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days

CP-KML435AS



Hood with Motor for Michelangelo Oven

Extractor Hood for Michelangelo Oven, Stainless Steel, Adjustable Speed, Kw 0.13, 700 m3 / h, Weight 78 kg, dim. mm. 1188x1200x410

€ 1.504,21

VAT excluded

Shipping to be calculated

Delivery from 4 to 9 days





VERSIONE CON COMANDI DIGITALI
Mod: ML 435/1CD

- Sistema di controllo con scheda elettronica;
- possibilità di impostare la temperatura della camera e la potenza dei gruppi di resistenze (cielo e platea) in maniera differenziata: "OFF" spento, "MIN" 33% o "MAX" 100%;
- avvisatore acustico di fine cottura;
- accensione del forno programmabile con conto alla rovescia fino a 99 ore;



VERSIONE CON TOUCH SCREEN
Mod: ML 435/1TS

- sistema di controllo Touch Screen con possibilità di impostare la temperatura della camera e la potenza dei due gruppi di resistenze (cielo e platea) in maniera differenziata da 0% a 100% ;
- funzioni PIROLISI, ECONOMY e RECUPERO VELOCE integrate;
- programmazione cotture;
- avvisatore acustico di fine cottura;
- timer settimanale + agenda;