



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

BERTO'S GAS GRIDDLE with SMOOTH COMPOUND PLATE, MACROS 700 line, STAINLESS STEEL module dim. mm 793x500:

- Worktop and front panels in **AISI 304 stainless steel**.
- Large surface **tubular burners** with self-stabilised flame for greater uniformity of heat distribution.
- Regulation of the power supplied via thermostated tap.
- **Pilot flame and thermocouple safety valve**.
- Piezoelectric ignition with silicone protection.
- **Maximum temperature** controlled within **280 °C**.
- **Smooth, high-thickness, full-size plate** with flush splashguard.
- **Two-component cooking plate** that combines a steel plate, to optimize uniformity, with an upper coating in AISI 316 stainless steel with a polished finish, for excellent cleaning and a low level of radiation, resulting in greater comfort for the operator.
- **Two cooking zones with separate controls** for independent and optimal temperature regulation.
- **Slightly inclined cooking surface** with large drain hole and conveyor into a special liquid-tight container.
- Particularly suitable **for delicate cooking**.
- Adjustable feet.
- **cooking area 793x500 mm**
- **24 month warranty**.

CE MARK
MADE IN ITALY

TECHNICAL CARD

Thermal input (Kw)	13,8
net weight (Kg)	70
gross weight (Kg)	83
breadth (mm)	800
depth (mm)	714
height (mm)	290

AVAILABLE MODELS

BS-G7FL8B-2/CPD







**GAS GRIDDLE with SMOOTH compound PLATE,
Mod. G7FL8B-2/CPD**

GAS GRIDDLE with SMOOTH PLATE, BERTO'S MACROS
700 line, module with 793x500 mm COOKING AREA,
thermal power Kw. 13.8, weight 70 kg,
dim.mm.800x714x290h



Macros 700

	cm ²	3.975 (mm 795x500)
	kW	13,8
	kcal/h	11.868
	Btu/h	47.086
	G30/G31	kg/h 1,09
	G20	m ³ /h 1,46
	G25	m ³ /h 1,70



Macros 700

