

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA ITO200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

ICE MAKER IN FULL CUBES, Yield 22-24 Kg / 24 hours, 6 Kg internal storage, available with Air or Water Cooled Cooling Group:

- structure in AISI 304 stainless steel;
- storage capacity 6 Kg;
- $\circ~$ production Kg / 24h : 22 Kg for the Air model , 24 Kg for the Water model ;
- air or water cooling;
- \circ spray ice production system;
- ∘ cube Series : S 14 gr ;
- o cube dimensions (LxWxH): 36x26x23 mm;
- Electromechanical controls: The machine is controlled by timer and thermostat. Simple, easy to understand and maintain. High reliability and low cost of spare parts;
- electronic control: total control of the machine by means of an electronic card
 - optimized and flexible for each machine.
 - management and reporting of alarms.
 - optimization of the cubes output.
- Injection system with special semi-elastic injectors designed and patented by ICE TECH to prevent the formation of limescale;
- external On / Off switch;
- **tropicalized compressor** Class T, Air temperature: 5 40°C, Water temperature: 5 35°C, Pressure: 0,7 6 bar, Kg / 24h at ambient temperature 15°C, Water temperature 10°C;
- Refrigerant Gas R290: Natural gas R290 with low global warming potential (GWP) which reduces energy consumption;
- water inlet connection: 3/4 "- Exhaust gas connection: 20 mm;
- Ice maker **designed for the Bar, Restaurant, Pub, Hotel**. Suitable for **producing compact "Gourmet" cubes weighing 14 g,** the most desired by professionals and consumers, particularly **suitable for drinks and liqueurs**. Thanks to the resistant formula, the cube will take longer to melt, so that the customer can enjoy his drink for longer;
- the deposit is well insulated with injected polyurethane foam , for the best containment of the ice produced, without the risk of melting;
- All parts in contact with water have been designed to minimize their friction and to ensure maximum surface tension, significantly reducing the sound level.

CE mark Made in EUROPE

Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,36
net weight (Kg)	32
gross weight (Kg)	36
breadth (mm)	350
depth (mm)	475
height (mm)	595

AVAILABLE MODELS

ICT-SS25/A



€ 680,47

VAT escluded

Shipping to be calculed

Delivery from 15 to 25 days

ICE MANUFACTURER / MANUFACTURER in FULL CUBES, Yield 22 Kg / 24 hours, STORAGE 6 Kg, AIR Cooled, mod.SS25 / A

Full ice cube machine, yield 22 Kg / 24 hours, 6 Kg storage, stainless steel exterior, air cooling, Gas R290, V.230 / 1, Kw.0.36, weight Kg.32, dim.mm.350x475x595h

ICT-SS25/W



ICE MANUFACTURER / MANUFACTURER in FULL CUBES, Yield 24 Kg / 24 hours, STORAGE 6 Kg, WATER-COOLED, mod.SS25 / W

Full ice cubes machine, yield 24 Kg / 24 hours, 6 Kg storage, stainless steel exterior, water cooling, Gas R290, V.230 / 1, Kw.0.36, weight Kg.32, dim.mm.350x475x595h

€ 680,47

VAT escluded
Shipping to be calculed

Delivery from 15 to 25 days





