

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973 $\,$



PROFESSIONAL DESCRIPTION

WINE CELLAR-TECA, Capacity 112 Inclined Bottles, STATIC or VENTILATED REFRIGERATION, suitable for WHITE or RED WINES:

- aluminum structure,
- · Interior in Aluminum.
- Sliding Doors, Sides and Top in GLASS,
- ECOLOGICAL Refrigerant Group with GAS R 290a
- digital thermoregulator from : +4°+16°C.
- automatic defrost,
- o automatic evaporation of condensate,
- innovative refrigeration system based on the positioning of the cooling coil in the center of the showcase which guarantees better conservation conditions,
- · SLIDING DOORS in glass on 1 FRONT,
- door anti-fog system;
- \circ natural white LED lighting on the posts,
- key lock ,
- Anti-vibration system,
- Ambient temperature: +25°, MAX for WHITE WINES
- Ambient Temperature: +30°, MAX for RED WINES

4 POSSIBILITIES OF USE CONFIGURABLE by the Customer

- STATIC MULTITEMPERATURE from +6° to +16°C for WHITE and RED Wines,
- STATIC MULTITEMPERATURE from +14° to +20°C for RED Wines,
- VENTILATED for RED Wines with adjustable temperature from +14° to +16°C,
- VENTILATED for WHITE Wines with adjustable temperature from +6° to + 12°C;

Possible EQUIPMENTS, to be Selected at the TIME of the Order in the PRODUCT SHEET.

- FRAME in MDF

RAW, - MATT WHITE RAL-9010, - MATT BLACK RAL-9005, - GOLD VO1, SILVER VO2, - COLORS RAL 20 MATT LACQUERED, COLORS RAL 100 GLOSSY LACQUERED

DUNE FRAMES

RAW, - MATT WHITE RAL9010, - MATT BLACK RAL9005, - GOLD VO1 - SILVER VO2 - COLORS RAL20 MATT LACQUERED, COLORS RAL100 GLOSSY LACQUERED;

OPTIONALS/ACCESSORIES:

Colored LED lighting on the uprights with remote control.

CE mark Made in Italy

TECHNICAL CARD	
Monofase	
V 230/1	
50	
0,45	
107	
860	
530	
1855	

AVAILABLE MODELS

EO-TV-M12-RAL9005



CASE for WINE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with MATT BLACK WOODEN FRAME

WINE CASE with FRAME IN MATT BLACK WOOD, 3 GLASS SIDES, INCLINED cap.112 bottles, STATIC or VENTILATED cold, temp.+ 4° /+ 16° C, for WHITE or RED WINES, doors on 1 front, V .230/1, Kw.0,45, Weight 107 Kg, dim.mm.860x530x1855h

€ 5.453,61

VAT escluded

Shipping to be calculed

Delivery from 10 to 18 days

EO-TV-M12-M01



CASE for WINE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with RAW MDF WOOD FRAME WINE CASE with FRAME FRAME in RAW MDF WOOD, 3 GLASS SIDES, INCLINED cap.112 bottles, STATIC or VENTILATED cold, temp.+4°/+16°C, for WHITE or RED WINES, doors on 1 front, V .230/1, Kw.0,45, Weight 107 Kg, dim.mm.860x530x1855h

€ 5.351,99

VAT escluded

Shipping to be calculed

Delivery from 10 to 18 days

EO-TV-M12-RAL9010



CASE for WINE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with MATT WHITE WOODEN FRAME

WINE CASE with FRAME FRAME in MATT WHITE WOOD, 3 GLASS SIDES, cap.112 INCLINED bottles, STATIC or VENTILATED cold, temp.+4°/+16°C, for WHITE or RED WINES, doors on 1 front, V .230/1, Kw.0,45, Weight 107 Kg, dim.mm.860x530x1855h

€ 5.453,61

VAT escluded
Shipping to be calculed

Delivery from 10 to 18 days

EO-TV-M12-DRAL9010



WINE CASE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with DUNE FRAME in MATT WHITE WOOD

WINE CASE with DUNE FRAME FRAME in WHITE WOOD, 3 GLASS SIDES, cap.112 INCLINED bottles, STATIC or VENTILATED cold, temp.+4°/+16°C, for WHITE or RED WINES, doors on 1 front, V.230/1, Kw.0,45, Weight 107 Kg, dim.mm.860x530x1855h

€ 6.503,68

VAT escluded
Shipping to be calculed

Delivery from 10 to 18 days

EO-TV-M12-DRAL9005



CASE for WINE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with DUNE FRAME in MATT BLACK WOOD

WINE CASE with DUNE FRAME FRAME in BLACK WOOD, 3 GLASS SIDES, cap.112 INCLINED bottles, STATIC or VENTILATED cold, temp.+4°/+16°C, for WHITE or RED WINES, doors on 1 front, V.230/1, Kw.0,45, Weight 107 Kg, dim.mm.860x530x1855h

€ 6.503,68

VAT escluded
Shipping to be calculed

Delivery from 10 to 18 days

EO-TV-M12-V01



CASE for WINE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with GOLD painted WOODEN FRAME

WINE CABINET with WOODEN FRAME painted GOLD, 3 GLASS SIDES, INCLINED cap.112 bottles, STATIC or VENTILATED cold, temp.+4°/+16°C, for WHITE or RED WINES, doors on 1 front, V .230/1, Kw.0,45, Weight 107 Kg, dim.mm.860x530x1855h

€ 5.826,22

VAT escluded
Shipping to be calculed

Delivery from 10 to 18 days

EO-TV-M12-V02



CASE for WINE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with SILVER painted WOODEN FRAME

WINE CABINET with SILVER painted WOODEN FRAME, 3 GLASS SIDES, INCLINED cap.112 bottles, STATIC or VENTILATED cold, temp. +4°/+16°C, for WHITE or RED WINES, doors on 1 front, V .230/1, Kw.0,45, Weight 107 Kg, dim.mm.860x530x1855h

€ 5.826,22

VAT escluded
Shipping to be calculed

Delivery from 10 to 18 days

EO-TV-M12-RAL20



WINE CASE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with WOODEN FRAME in RAL20 colors

WINE CABINET with WOODEN FRAME in RAL20 colours, 3 GLASS SIDES, cap.112 INCLINED bottles, STATIC or VENTILATED cold, temp.+4°/+16°C, for WHITE or RED WINES, doors on 1 front, V.230/1, Kw.0,45, Weight 107 Kg, dim.mm.860x530x1855h

€ 5.826,22

VAT escluded
Shipping to be calculed

Delivery from 10 to 18 days

EO-TV-M12-RAL100



WINE CASE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with WOODEN FRAME in RAL100 colors

WINE CABINET with WOODEN FRAME in RAL100 colours, 3 GLASS SIDES, cap.112 INCLINED bottles, STATIC or VENTILATED cold, temp.+4°/+16°C, for WHITE or RED WINES, doors on 1 front, V.230/1, Kw.0,45, Weight 107 Kg, dim.mm.860x530x1855h

€ 5.826,22

VAT escluded
Shipping to be calculed

Delivery from 10 to 18 days

EO-TV-M12-D01



CASE for WINE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with DUNE FRAME in RAW WOOD

WINE CABINET with DUNE FRAME FRAME in RAW WOOD, 3 GLASS SIDES, cap.112 INCLINED bottles, STATIC or VENTILATED cold, temp. +4°/+16°C, for WHITE or RED WINES, doors on 1 front, V .230/1, Kw.0,45, Weight 107 Kg, dim.mm.860x530x1855h

€ 5.995,58 VAT escluded Shipping to be calculed

Delivery from 10 to 18 days

EO-TV-M12-DV02



CASE for WINE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with DUNE FRAME in SILVER painted WOOD

WINE CABINET with DUNE FRAME in SILVER WOOD, 3 GLASS SIDES, cap.112 INCLINED bottles, STATIC or VENTILATED cold, temp.+4°/+16°C, for WHITE or RED WINES, doors on 1 front, V .230/1, Kw.0,45, Weight 107 Kg, dim.mm.860x530x1855h

€ 6.300,44

VAT escluded Shipping to be calculed

Delivery from 10 to 18 days

EO-TV-M12-DV01



CASE for WINE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with DUNE FRAME in GOLD painted WOOD

WINE CABINET with DUNE FRAME in GOLD painted WOOD, 3 GLASS SIDES, cap.112 INCLINED bottles, STATIC or VENTILATED cold, temp.+4°/+16°C, for WHITE or RED WINES, doors on 1 front, V.230/1, Kw.0,45, Weight 107 Kg, dim.mm.860x530x1855h

€ 6.300,44

VAT escluded Shipping to be calculed

Delivery from 10 to 18 days

EO-TV-M12-DRAL20



CASE for WINE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with DUNE WOODEN FRAME in RAL20 colors

WINE CABINET with DUNE FRAME FRAME in WOOD in RAL20 colours, 3 GLASS SIDES, cap.112 INCLINED bottles, STATIC or VENTILATED cold, temp.+4°/+16°C, for WHITE or RED WINES, doors on 1 front ,V.230/1, Kw.0,45, Weight 107 Kg, dim.mm.860x530x1855h

€ 6.503,68

VAT escluded Shipping to be calculed

Delivery from 10 to 18 days

EO-TV-M12-DRAL100



WINE CASE, 112 Bottles, Doors on 1 Front, 3 Glass Sides, Version with DUNE WOODEN FRAME in RAL100 colors

WINE CASE with DUNE FRAME FRAME in WOOD in RAL100 colours, 3 GLASS SIDES, cap.112 INCLINED bottles, STATIC or VENTILATED cold, temp.+4°/+16°C, for WHITE or RED WINES, doors on 1 front ,V.230/1, Kw.0,45,Weight 107 Kg, dim.mm.860x530x1855h

€ 6.503,68

VAT escluded Shipping to be calculed

Delivery from 10 to 18 days

TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY


EO-OPT-RGB-A




Colored LED lighting with remote control Colored LED lighting with remote control, dim.mm.40x1600


€ 153,55 VAT escluded Shipping to be calculed

Delivery from 4 to 9 days









Le temperature riportate sono indicative e possono variare di $[+ -] 2 ^{\circ}C$. L'utente può impostare la temperatura da +4 $^{\circ}C$ a +18 $^{\circ}C$. Reported temperatures are approximate and may vary by $[+ -] 2 ^{\circ}C$. User-controlled temperature +4 $^{\circ}C$ to +18 $^{\circ}C$. Les températures indiquées sont approximatives et peuvent varier de $[+ -] 2 ^{\circ}C$. L'utilisateur peut régler la température de +4 $^{\circ}C$ à +18 $^{\circ}C$.



UNITÀ REFRIGERANTE INTEGRATA • SELF-CONTAINED REFRIGERATING UNIT • UNITÉ RÉFRIGÉRANTE INTÉGRÉE

IMPIANTO A REFRIGERAZIONE CENTRALE (brevettato) - CENTRAL COOLING SYSTEM (patented) - INSTALLATION DE RÉFRIGÉRATION CENTRALE (brevetée)

STANDARD



La serpentina di raffreddamento
e le ventole di aereazione interna
sono inserite al centro della vetrina
all'interno dei pannelli di alluminio.
Il compressore
il condensatore
orizzontale con ventola a pala premente
e la vasca per l'evaporazione
della condensa
so sono inseriti in una
speciale vasca ribassata. Con questa
soluzione, pur installando un comopressore standard, l'altezza della base
l'imitata (180 mm), La circolazione
dell'aria di condensazione avviene
utilizzato lo spazio inferiore dove sono
inseriti i piedi (60 mm). La circolazione
dell'aria di condensazione avviene
dalla parte inferiore frontale.

The cooling coil
and the internal
are installed in the middle
of the cabinet inside the aluminium
to inside sa unitie un de vat for the
evaporazion of the condensation water
della condensa
sono inseriti in una
speciale vasca ribassata. Con questa
soluzione, pur installando un comopressore standard, l'altezza della base
le limitata (150 mm) expecial lowere
feet aire located (40 mm). La circolazione
dell'aria di condensazione avviene
dalla parte inferiore frontale.

The cooling coil
and the internal
tans
are installed in the middle
of the cabinet inside the aluminium
to inside sa unitieu de la vitrine à l'intertieur des paneaux d'aluminium. Le
compresseur
d'ilvaporation de l'eva porazione
della condensazion de l'au de condensation
are relaced in a special lowere
l'evaporation de l'eva porazione
della condensazione
soluzione, pur installando un como
ricondensation are ricolates from the
beight of the base is limited (150 mm).
car on utilise l'espace intérieur où se
trouvent les pieds (40 mm). La circula
tion de l'air de condensazione avviene
dalla parte inferiore frontale.

=	circolazione aria interna · inside air flow · circulation de l'air interne
-	aspirazione aria ambiente - cold air suction - aspiration de l'air ambiant
-	espulsione aria calda · warm air outlet · expulsion de l'air chaud



IMPOSTAZIONE TERMOREGOLATORE · TEMPERATURE CONTROLLER SETTING · RÉGLAGE CONTROLEUR DE TEMPÉRATURE



Accende e spegne lo strumento · Turn on and off the appliance · Allume et éteinde l'appareil
Accende e spegne la luce · Turn on and off the light · Allume et éteinde l'éclairage

Accende e spegne la luce · Turn on and off the light · Allume et éteinde l'éclairage

SET Per visualizzare/modificare Set point · View/change the set point · Pour afficher/changer le point de consigne

Per avviare sbrinamento manuale • Start the manual defrost cycle • Pour lancer le dégivrage manuel
Per diminuire la temperatura • Decrease the temperature • Pour diminuer la témpérature

Per diminuire la temperatura \cdot Decrease the temperature \cdot Pour diminuer la témpérature ▲ Per aumentare la temperatura · Raise temperature · Pour augmenter la témpérature

 $\textbf{RUX} \ \ \text{Per attivare resistenza guide} \cdot \textit{Switch on rails heating} \cdot \textit{Pour activer le rechauffage du cadre des rails}$

Per attivare ventole interne · Switch on inside fans · Pour activer les ventilateurs interieurs







