



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



TECHNOCHEF.IT

CODE	DESCRIPTION	PRICE/DELIVERY
SI-IP20M	Meat mixer in stainless steel, bowl capacity 15 Kg, removable stainless steel blade, V.230/1, Kw.0,37, Weight 27 Kg, dim.mm.515x337x465h	<b>€ 1.143,40</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days
PROFESSIONAL DESCRIPTION		

**STAINLESS STEEL MEAT MIXER with 20 Kg BOWL, ideal for SMALL MIXTURES, both in BUTCHER'S SHOPS and RESTAURANTS:**

- Construction in **Aisi 304 stainless steel**;
- **Shovel in Aisi 304 stainless steel** easily **removable** without tools;
- **Gearbox in oil bath** with hardened and ground helical gears;
- Gear protection system with double oil seal;
- IP x5 ventilated asynchronous motors;
- Lid with safety micro;
- IP54 commands with inversion;
- **Practical and compact** .

**TECHNICAL DATA :**

- Power: 370 watts - Hp 0.5
- Power supply: 230V
- Bowl dimensions: mm 270x300
- Bowl capacity: 20 l - 15 kg
- Dimensions: 515 x 337 x 465mm
- Net weight: 27kg
- Gross weight: 30kg

**CE mark**  
**Made in Italy**


**TECHNICAL CARD**








<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,37
<b>net weight (Kg)</b>	27
<b>gross weight (Kg)</b>	30
<b>breadth (mm)</b>	515
<b>depth (mm)</b>	337
<b>height (mm)</b>	465



Pala facilmente rimovibile  
*Removable mixing arm*





					A	B	C	D	E			
	kWh/24h	lph	mm	l/kg	mm	mm	mm	mm	mm	kg	mm	kg
<b>IP 10 M</b>	180/0.25	1ph	200x250	15/10	438	255	751	406	565	18	800x600x500	20.5
<b>IP 20 M</b>	370/0.5	1ph	270x300	28/20	515	337	845	465	633	27	750x580x600	30