

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973 $\,$



PROFESSIONAL DESCRIPTION

REFRIGERATED PIZZA COUNTER 2 DOORS + CHEST OF DRAWERS for loaves of bread , with 330 or 380 mm DEEP GLASS, operating temperature +2°/+8°. Class B:

- Aisi 304 stainless steel structure,
- granite worktop with splashback on 3 sides,
- 2 refrigerated compartments capable of hosting 600x400x70h mm loaf containers , Temp. +2°+8°,
- neutral chest of drawers with 7 drawers capable of hosting 7 loaf containers measuring 600x400x70h mm NOT INCLUDED,
- o capacity 386 litres;
- ventilated refrigeration ,
- removable built-in unit for easy maintenance,
- neutral drawer above technical compartment.
- o insulation thickness: 50 mm,
- o circular flow of the cold air so as not to directly touch the product,
- electronic temperature control with digital thermostat ,
- electric resistance around the door frame to eliminate condensation,
- automatic defrost with electric resistance.
- automatic defrost temperature control,
- o automatic evaporation of condensation water,
- o anti-corrosion treated evaporator,
- ECOLOGICAL Refrigerating Group with R290 GAS;
- Energy CLASS B;
- o max ambient temperature/humidity:+32°C / 55%HR,
- o door with return spring,
- o door seal removable without tools,
- bottom with rounded corners,
- height-adjustable feet in Aisi 304 stainless steel,
- o stainless steel backrest,
- $\circ\,$ possibility of leaning against the wall.

Equipped with a horizontal refrigerated SHOWCASE complete with glass and refrigeration unit, capable of containing:

- 10 GN 1/4 containers (265x162 mm), with a max height of 150 mm for the mod. FOPZ2610TN33,
- $\circ~$ 9 GN 1/3 containers (325x175 mm) , with a max height of 150 mm for the mod. FOPZ2610TN38 .

Supplied:

o n.7 pairs of guides per door

NB: Horizontal display trays and pizza loaf holder containers - NOT INCLUDED.

CE mark Made in ASIA

| TECHNICAL CARD | |
|----------------|----------|
| power supply | Monofase |
| Volts | V 230/1 |
| frequency (Hz) | 50 |
| breadth (mm) | 2025 |
| depth (mm) | 800 |
| height (mm) | 1390 |
| | |

AVAILABLE MODELS



Refrigerated pizza counter 2 DOORS + CHEST OF DRAWERS, with 330 mm deep refrigerated display case

Refrigerated pizza counter 2 DOORS + CHEST OF DRAWERS, with 330 mm deep refrigerated display case, capacity 10 GN 1/4 containers (265x162 mm), temperature +2/+8°C, V.230/1, Ventilated, ECOLOGICAL in Class B, Gas R290, Kw.0.26, dim.mm.2025x800x1445h

€ 1.804,69

VAT escluded

Shipping to be calculed

Delivery from 8 to 15 days

FO-G-PZ2610TN38



Refrigerated pizza counter 2 DOORS + CHEST OF DRAWERS, with 380 mm deep refrigerated display case

case
Refrigerated pizza counter 2 DOORS + CHEST OF
DRAWERS, with 380 mm deep refrigerated display case,
capacity 9 GN 1/3 containers (325x175 mm),
temperature +2/+8°C, Ventilated, ECOLOGICAL in Class
B, Gas R290, V.230/ 1, Kw.0.26,
dim.mm.2025x800x1445h

€ 1.825,08

VAT escluded

Shipping to be calculed

Delivery from 8 to 15 days

