

**TECNOSERVICE'21 srl**

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



forcar®

PROFESSIONAL DESCRIPTION

REFRIGERATED PIZZA COUNTER 2 DOORS , with 330 or 380 mm DEEP GLASS , operating temperature -2°/+8° , Class B:

- **Aisi 304 stainless steel structure** ,
- **granite worktop** with splashback on 3 sides,
- **2 refrigerated compartments** capable of hosting **600x400x70h mm loaf boxes** ,
- **capacity 390 litres** ;
- **VENTILATED refrigeration** ;
- **built-in extractable group** for easy maintenance;
- insulation thickness: 50 mm;
- **neutral drawer above technical compartment** ;
- **circular flow of the cold air** so as not to directly touch the product,
- **electronic temperature control with digital thermostat** ,
- electric resistance around the door frame to eliminate condensation,
- **automatic defrost with electric resistance** ,
- **automatic defrost temperature control** ,
- **automatic evaporation of condensation water** ,
- anti-corrosion treated evaporator;
- max ambient temperature/humidity: +32°C / 55%HR;
- **ECOLOGICAL GAS R290** ;
- **Energy CLASS B** ;
- door with return spring,
- door seal removable without tools,
- bottom with rounded corners,
- **height-adjustable feet in Aisi 304 stainless steel** ,
- stainless steel backrest,
- possibility of leaning against the wall.

Equipped with **a horizontal refrigerated SHOWCASE** complete with glass and refrigeration unit, **capable of containing** :

- **7 GN 1/4** containers (265x162 mm), with a max height of 150 mm for the mod. **FO-G-PZ2600TN33** ,
- **5 GN 1/3** containers (mm 325x175) + **1 GN 1/2** (mm 325x265), with max height 150 mm for the mod. **FO-G-PZ2600TN38** .

Supplied :

- n.7 pairs of guides per door

NB: TRAYS NOT INCLUDED

CE mark

Made in ASIA

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
breadth (mm)	1510
depth (mm)	800
height (mm)	1445

AVAILABLE MODELS

FO-G-PZ2600TN33



REFRIGERATED PIZZA COUNTER 2 DOORS, with 330 mm deep refrigerated display case

REFRIGERATED PIZZA COUNTER 2 DOORS, with refrigerated display case 330 mm deep, capacity 7 GN 1/4 containers (265x162 mm), temperature -2/+8°C, Ventilated, ECOLOGICAL in Class B, Gas R290, V.230/1, Kw.0.26, dim.mm.1510x800x1445h

€ 1.539,59

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days

FO-G-PZ2600TN38



REFRIGERATED PIZZA COUNTER 2 DOORS, with 380 mm deep refrigerated display case

REFRIGERATED PIZZA COUNTER 2 DOORS, with refrigerated display case 380 mm deep, capacity 5 GN 1/3 containers (mm 325x175) + 1 GN 1/2 container (mm 325x265), temp.-2/+8°C, Ventilated, ECOLOGICAL in Class B, Gas R290, V.230/1, Kw.0.26, dim.mm.1510x800x1445h


€ 1.570,18

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days



Mod.FOPZ2600TN33 Cap. 7 Bacinelle GN1/4



Mod.FOPZ2600TN38 Cap. 5 Bacinelle GN 1/3+ 1 1/2