

#### TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413

Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
TK-EKF464N	VENTILATED ELECTRIC CONVECTION OVEN with HUMIDIFIER for PASTRY and BAKERY, cooking chamber for 4 600×400 mm TRAYS, ELECTROMECHANICAL CONTROLS, V.230/1, 3.4 Kw, Weight 50.4 Kg, dim.784×754×634h mm	€ 1.065,90  VAT escluded  Shipping to be calculed  Delivery from 4 to 9 days
	PROFESSIONAL PESSENTION	

PROFESSIONAL DESCRIPTION

# VENTILATED ELECTRIC CONVECTION OVEN with HUMIDIFIER for PASTRY and BAKERY, with cooking chamber for 4 600x400 mm TRAYS:

- o cooking chamber in AISI 430 stainless steel;
- lateral supports with guides for 4 600x400 mm trays , 73 mm pitch ;
- box door with flap opening (from top to bottom) and inspectable glass;
- electromechanical controls located on the lower side with timer and thermostat;
- · indirect room humidification with button;
- adjustable temperature from 100° to 260°C with a special thermostat ;
- 2 fans in the cooking chamber with rotation in one direction only;
- cooking chamber gasket recessed into the frame;
- forced cooling system of internal components;
- o possibility of overlapping with another oven of the same type.

#### Supplied:

• 1600 mm long power cable without plug.

#### Accessories/Options:

- Oven stacking kit Cod.TK-EKKM4.
- o Aluminum tray, dim.mm.600x400x20h Cod.TK-KT9PA.
- Perforated aluminum tray, dim.mm.600x400x20h Cod.TK-KTF8PA.
- Perforated aluminum tray with 5 channels, dim.mm.600x400x20h Cod.TK-KTF9P.
- o Chromed grill, dim.mm.600x400 Cod.TK-KG9P.
- 5-channel AISI 304 stainless steel grill, dim.mm.600x400 Cod.TK-KG5CPX.
- Base support for ovens in 430 stainless steel, on legs with lower shelf Cod.TK-EKT411.
- Base support for ovens in 430 stainless steel, on legs with lower shelf and wheels Cod.TK-EKTR411.
- Base support for ovens in 430 stainless steel, with lower shelf and pairs of guides for inserting 6 Gastro-Norm 1/1 trays (530x325 mm), or 6 grids measuring 600x400 mm Cod.TK-EKTS411.
- Base support for ovens in 430 stainless steel, with lower shelf and wheels with pairs of guides for inserting 6 Gastro-Norm 1/1 trays (530x325 mm), or 6 grids measuring 600x400 mm Cod.TK-EKTRS411.
- $\circ~$  Support for stacking ovens in 430 stainless steel, on legs with lower shelf Cod.TK-EKT411D.
- o Proofer Code TK-EKL864N.
- Proofer with wheels Cod.TK-EKL864NR.

#### CE mark Made in Italy

TECHNICAL CARD		
power supply	Monofase	
Volts	V 230/1	
frequency (Hz)	50	
motor power capacity (Kw)	3,4	
breadth (mm)	784	
depth (mm)	754	
height (mm)	634	

# TECHNICAL CARD

CODE/PICTURES DESCRIPTION PRICE/DELIVERY



**Bakery ovens and bakery** Chromed grid, dim.mm.600x400 € 17,67

VAT escluded

Shipping to be calculed

**Delivery** from 4 to 9 days

ТК-КТ9РА



**Steam convection ovens**Aluminum tray, dim.mm.600x400x20h

€ 21,21 VAT escluded Shipping to be calculed

Delivery from 4 to 9 days

#### TK-KG5CPX



# Steam convection ovens

AISI 304 5-channel stainless steel grille, dim.mm.600x400

# € 45,51

VAT escluded Shipping to be calculed

Delivery from 4 to 9 days

#### TK-KTF8PA



#### Steam convection ovens

Perforated aluminum tray, dim.mm.600x400x20h

#### € 28,28

VAT escluded Shipping to be calculed

Delivery from 4 to 9 days

#### TK-KTF9P



# Steam convection ovens

5-channel pierced aluminum tray, dim.mm.600x400x20h

# € 63,01

VAT escluded Shipping to be calculed

Delivery from 4 to 9 days

#### TK-EKKM4



Ovens overlay kit Ovens overlay kit

# € 251,50

VAT escluded Shipping to be calculed

Delivery from 4 to 9 days

#### TK-EKT411D



#### Support for superposition of stainless steel ovens on legs with lower shelf

Support for overlapping 430 stainless steel ovens, on legs with lower shelf for Mod: TK-EKF311; TK-EKF364; TK-EKF411 and TK-EKF464, Weight Kg.45, dim.mm.785x670x541h

## € 387,87

VAT escluded Shipping to be calculed

Delivery from 4 to 9 days

#### TK-EKT411



# Base support for stainless steel ovens on lower

shelf legs Base support for 430 stainless steel ovens on lower shelf legs for Mod: TK-EKF311; TK-EKF364; TK-EKF411 and TK-EKF464, Weight Kg.28, dim.mm.785x670x791h

# € 436,30

VAT escluded Shipping to be calculed

Delivery from 4 to 9 days

#### TK-FKTR411



#### Base support for stainless steel ovens on lower shelf legs and wheels

Base support for 430 stainless steel ovens on lower shelf legs and wheels for Mod: TK-EKF311; TK-EKF364; TK-EKF411 and TK-EKF464, Weight Kg.30,6, dim.mm.801x686x833h

# € 460,51

VAT escluded Shipping to be calculed

Delivery from 4 to 9 days

#### TK-EKTS411



#### Base support for stainless steel ovens with lower shelf and pair of guides

Base support for 430 stainless steel ovens with lower shelf and pairs of guides for inserting 6 Gastro-Norm 1/1 trays (530x325  $\overline{\text{mm}}$ ), or 6 mm.600x400 grids, for Mod: TK-EKF311; TK-EKF364; TK-EKF411 and TK-EKF464, Weight Kg.34, dim.mm.785x670x791h

# € 460,51

VAT escluded Shipping to be calculed

Delivery from 4 to 9 days

## TK-EKTRS411



#### Base support for stainless steel ovens with lower shelf and wheels with couple guides

Base support for 430 stainless steel ovens with lower shelf and wheels with pairs of guides for inserting 6  $\ensuremath{\mathsf{GN}}$ 1/1 (mm 530X325), or 6 mm.600x400 grids, for Mod: TK-EKF311; TK-EKF364; TK-EKF411 and TK-EKF464, Weight Kg.36,6, dim.mm.801x686x833

# € 508,94

VAT escluded Shipping to be calculed

Delivery from 4 to 9 days

#### TK-EKL864N



**Proofer support cabinet**Prover with glass door, capacity 8 trays/grids mm 600x400, V.230/1, Kw.2,4, weight 43,6 Kg, dim.mm.795x655x835h

€ 944,82 VAT escluded
Shipping to be calculed

**Delivery** from 4 to 9 days

#### TK-EKL864NR



#### Prover support cabinet with wheels

Prover with glass door and wheels, capacity 8 trays/grids mm 600x400, V.230/1, Kw.2,4, weight 45,3 Kg, dim.mm.795x655x835h

€ 993,25 VAT escluded
Shipping to be calculed

**Delivery** from 4 to 9 days