



CODE	DESCRIPTION	PRICE/DELIVERY
RLM-CP42	ELECTRIC, AUTOMATIC, PROGRAMMABLE BREAD SLICER, with top cover for LUNCH BREAD with HARD CRUST, max length 42 cm, cutting height up to 18 cm, slice thickness at choice from 7 to 18 mm, motor from Kw. 0,75, V .400 / 3, Weight 101 Kg, dim.mm.557x604x595h	€ 3.560,59 <i>VAT excluded</i> Shipping to be calculated Delivery from 8 to 15 days

PROFESSIONAL DESCRIPTION

Mod.RLM-CP42 - ELECTRIC, AUTOMATIC, PROGRAMMABLE BREAD SLICER, with UPPER COVER for LUNCH BREAD with HARD CRUST, max cutting length 42 cm:

- **structure** in sandblasted and powder-coated steel ;
- **top front loading** ;
- **inclined work surface** ;
- **top cover**;
- **protection with photocell** ;
- **suitable for bread with medium-hard crust and also intensive use** ;
- **crumb tray in painted steel**;
- **max cutting length : 420 mm** ;
- **cutting height from 60 to 180 mm** ;
- **setting of the single-cycle or continuous cutting with speed adjustment**;
- **slice thickness of your choice from 7 to 18 mm** ;
- **polycarbonate bread clip** ;
- adjustable thrust pressure;
- press with adjustable springs;
- **powerful and reliable with all types of bread**;
- **easy to clean and in total safety** , thanks to the crumb tray with microswitch which prevents the machine from starting without its prior closure.

Optional / Accessories :

- base cabinet - Cod.RLM-BA42.

CE mark
Made in Italy

TECHNICAL CARD

power supply	Trifase
Volts	V 400/3
frequency (Hz)	5060
motor power capacity (Kw)	0,75
net weight (Kg)	101
gross weight (Kg)	110
breadth (mm)	557
depth (mm)	604
height (mm)	595

TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

RLM-BA42



Base Mobile Module: RLM-G42, RLM-G42COVER, RLM-C42, RLM-CP42.

€ 308,84

VAT escluded
Shipping to be calculated

Delivery from 4 to 9 days



