

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TECHNICAL CARD	
power supply	Trifase
Volts	V 400/3
frequency (Hz)	5060
motor power capacity (Kw)	0,75
net weight (Kg)	107
breadth (mm)	657
depth (mm)	604
height (mm)	595

TECHNICAL CARD

PROFESSIONAL DESCRIPTION

Mod.RLM-CP52 - ELECTRIC, AUTOMATIC, PROGRAMMABLE BREAD SLICER, with UPPER COVER for LUNCH BREAD with HARD CRUST, max cutting length 52 cm:

- structure in sandblasted and powder-coated steel;
- top front loading;
- inclined work surface;
- top cover;
- protection with photocell;
- $\circ~$ suitable for bread with medium-hard crust and also intensive use ;
- crumb tray in painted steel;
- \circ max cutting length: 520 mm;
- $\circ~$ cutting height from 60 to 180 mm ;
- $\circ\,$ setting of the single-cycle or continuous cutting with speed adjustment;
- $\circ~$ slice thickness of your choice from 7 to 18 mm ;
- $\circ \ \ \textbf{polycarbonate bread clip} \ ;$
- $\circ \ \ \text{adjustable thrust pressure;}$
- $\circ \ \ \text{press with adjustable springs;}$
- powerful and reliable with all types of bread;
- easy to clean and in total safety , thanks to the crumb tray with microswitch which prevents the machine from starting without its prior closure

Optional / Accessories :

• base cabinet - Cod.RLM-BA52.

CE mark Made in Italy

RLM-CP52

ELECTRIC, AUTOMATIC, PROGRAMMABLE BREAD SLICER, with top cover for LUNCH BREAD with HARD CRUST, max length 52 cm, cutting height up to 18 cm, slice thickness of choice from 7 to 18 mm, motor from Kw. 0,75, V .400 / 3, Weight 107 Kg, dim.mm.657x604x595h

PRICE/DELIVERY

€ 3.624,93

VAT escluded Shipping to be calculed Delivery from 8 to 15 days

TECHNICAL CARD

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

RLM-BA52



Mobile base

€ 308,84

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days





