



CODE	DESCRIPTION	PRICE/DELIVERY
<b>AG-EXPORT25</b>	Stainless steel potato peeler, production capacity 1000Kg/h, potato load 25 Kg, V.400/3, Kw.1,10, Weight 81 Kg, dim.mm.470x740x1150h	<b>€ 4.658,60</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery from 8 to 15 days</b>

#### PROFESSIONAL DESCRIPTION

##### POTATO PEELER Export series, production load 25 Kg :

- allows you to obtain a well-polished product, free from dents and with limited processing waste, thanks to the combined solution of the cylindrical processing compartment and the extractable rotating plate, made with a special abrasive agglomerate.
- **high abrasive life** .
- **stainless steel structure** .
- **cover with micro and protection on the exhaust** .
- **potato load** : 25 kg;
- **production capacity** : 1000 Kg/h;
- **V.400/3 motor switchable to V.230/3 , energy saving** ( with a reduction in consumption of approximately 20%);
- protection class IP 55;
- **gear motor-rotating plate transmission** ;
- 24 Volt **wall control panel** with programmable mechanical timer .

##### Options/Accessories :

- Stainless steel waste collection filter with knob.

**CE Mark**  
**Made in Italy**

#### TECHNICAL CARD

<b>power supply</b>	Trifase
<b>Volts</b>	V 400/3
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	1,10
<b>net weight (Kg)</b>	81

gross weight (Kg)	89
breadth (mm)	470
depth (mm)	740
height (mm)	1150

#### TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

**AG-3516821**



#### Filter by Export

Stainless steel waste collection filter with knob for Export  
20 - 25, dim.mm.300x330x330h

**€ 702,70**

*VAT excluded*

**Shipping to be calculated**

**Delivery** from 4 to 9 days



