



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>FO-G-GNV600DT</b>	2-door combined fridge / freezer cabinet, Professional, stainless steel structure, lt. 237 + 237, double temperature -2 ° / + 8 ° C, -18 ° / -22 ° C, Ventilated, Gas R290, Gastronorm 2 / 1, Kw. 0,25 / 0,3, Weight 150 Kg, dim.mm.680x830x2010h	<b>€ 1.256,66</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days
PROFESSIONAL DESCRIPTION		

**COMBINED REFRIGERATOR-FREEZER CABINET with 2 HALF DOORS, capacity 237 + 237 liters, temp. -2 ° / + 8 ° C, and temp. -18 ° / -22 ° C, Dual Independent Controls**

- **made of AISI 304 stainless steel** ;
- external bottom and back panels in galvanized sheet metal;
- bottom with rounded corners;
- **suitable for containing Gastro-Norm 2/1 grids or trays** (650x530 mm);
- capacity 237 + 237 liters;
- **ventilated refrigeration** ;
- incorporated group;
- evaporator positioned retractable so as to have maximum available space;
- engine compartment with insulated sides;
- **electronic temperature control with digital thermostat** ;
- double operating temperature -2 ° / + 8 ° C, -18 ° / -22 ° C
- **( 2 cooling units - 2 separate compartments with INDEPENDENT CONTROLS);**
- **ECOLOGICAL Gas R290** ;
- electrical resistance around the door frame to eliminate condensation;
- **automatic defrost** with electric heater and **automatic control** of the defrost temperature;
- **maximum ambient temperature** : + 32 ° C;
- **maximum ambient humidity** : 55% HR;
- **automatic evaporation** of condensation water;
- anti-corrosion treated evaporator;
- **insulation thickness 60 mm** ;
- door lock with key;
- removable door seal without tools;
- **feet in AISI 304 stainless steel, adjustable in height** .

**Included :**

- n.4 Gastro-Norm 2/1 grids
- n.8 guides

**Optional / Accessories :**

- pair of guides for grill support - Code FGG21
- plasticized grid Gastro-Norm 2/1 - Cod.FOGRP21
- 4 wheels kit diameter 120 mm, 2 of which with brake - Cod.FORUO120



**CE mark**

**Made in ASIA**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,9
<b>net weight (Kg)</b>	150
<b>breadth (mm)</b>	680
<b>depth (mm)</b>	850
<b>height (mm)</b>	2010

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>FOGRP21</b> 	<b>Plasticized grid GN 2/1</b> Plastic grill Gastro-norm 2/1, (cm 53x65)	<b>€ 10,71</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>FOCG21</b> 	<b>Pair of stainless steel guides</b> Pair of stainless steel guides for plasticized grid	<b>€ 23,86</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days

# FO-RUO120



## Forcar - 4 wheels kit, 2 with brake

4 wheels kit with 120 mm diameter, 2 of which with brake.

**€ 72,80**

*VAT excluded*

**Shipping to be calculated**

**Delivery** from 4 to 9 days