



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### PROFESSIONAL DESCRIPTION

**BALLARINI - PASTA COOKER POT high, 4 BASKETS , 2 handles, 7000 series, complete range with diameter from 360 mm to 500 mm :**

- **professional line** in **99% pure aluminum - thickness 3 mm** ;
- external and internal finish in **pickled neutralized aluminum** ;
- **constant thick bottom** (3 mm) for **excellent heat distribution and maintenance** ;
- **flatness of the bottom** obtained when the cooking temperature is reached for **complete adherence to the cooking surface** ;
- **Pasta warmer basket** with handle and **hook for dripping position**;
- **professional stainless steel reinforced rib handle** , **tubular** to reduce heat transmission, 'at full grip'.

**CE mark**  
**MADE IN ITALY**

#### AVAILABLE MODELS

**BLR7038.36**



**Pot Pasta cooker diameter mm 360 with 4 Baskets**

High pasta cooker with 4 1/4 baskets, 7000 SERIES, in ALUMINUM, diameter mm 360, high mm 220

**Delivery** from 4 to 9 days

**BLR7038.40**



**Pot Pasta cooker diameter 400 mm with 4 baskets**

High pasta cooker with 4 1/4 baskets, 7000 SERIES, in ALUMINUM, diameter 400 mm, high 250 mm

**Delivery** from 4 to 9 days

**BLR7038.50**



**Pot Pasta cooker diameter 500 mm with 4 baskets**

High pasta cooker with 4 1/4 baskets, 7000 SERIES, in ALUMINUM, diameter 500 mm, high 280 mm

**Delivery** from 4 to 9 days



SERIE **7000**  
2,5 MM - 5 MM - ALLUMINIO BIANCO



LINEA PROFESSIONALE IN ALLUMINIO PURO 99%

Made in Italy

Finitura esterna  
Alluminio lavato decapato  
neutralizzato

Spessore costante  
Compreso tra mm 2,5 e mm 5,0

Manicatura  
Manicatura professionale in acciaio inox a nervatura  
rinforzata, in tubolare per ridurre la trasmissione del  
calore, "a piena presa"

Finitura interna  
Alluminio lavato decapato  
neutralizzato



Fondo  
Fondo ad alto spessore costante per un'ottima distribuzione e  
mantenimento del calore. Planarità ottenuta al raggiungimento  
della temperatura di cottura per una completa aderenza al piano  
di cottura

Fonti di riscaldamento

